
Core Food Plan— Bibliography

Scientific/Medical Publications

Why the Core Food Plan?

- Schwingshackl L, Bogensberger B, Hoffmann G. Diet quality as assessed by the healthy eating index, alternate healthy eating index, Dietary Approaches to Stop Hypertension score, and health outcomes: an updated systematic review and meta-analysis of cohort studies. *J Acad Nutr Diet*. 2018;118(1):74-100. e11. doi:10.1016/j.jand.2017.08.024.
- Rees K, Takeda A, Martin N, et al. Mediterranean-style diet for the primary and secondary prevention of cardiovascular disease. *Cochrane Database Syst Rev*. 2019;3(3):CD009825. Published 2019 Mar 13. doi:10.1002/14651858.CD009825.pub3.

Features of the Core Food Plan

- Mudgil D, Barak S. Composition, properties and health benefits of indigestible carbohydrate polymers as dietary fiber: a review. *Int J Biol Macromol*. 2013;61:1-6. doi:10.1016/j.ijbiomac.2013.06.044.
- Jovanovski E, Yashpal S, Komishon A, et al. Effect of psyllium (*Plantago ovata*) fiber on LDL cholesterol and alternative lipid targets, non-HDL cholesterol and apolipoprotein B: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2018;108(5):922-932. doi:10.1093/ajcn/nqy115.
- Fraga CG, Croft KD, Kennedy DO, Tomás-Barberán FA. The effects of polyphenols and other bioactives on human health. *Food Funct*. 2019;10(2):514-528. doi:10.1039/C8FO01997E.
- Rebholz CM, Reynolds K, Wofford MR, et al. Effect of soybean protein on novel cardiovascular disease risk factors: a randomized controlled trial. *Eur J Clin Nutr*. 2013;67(1):58-63. doi:10.1038/ejcn.2012.186.
- Baxter NT, Schmidt AW, Venkataraman A, Kim KS, Waldron C, Schmidt TM. Dynamics of human gut microbiota and short-chain fatty acids in response to dietary interventions with three fermentable fibers. *mBio*. 2019;10(1):e02566-18. doi:10.1128/mBio.02566-18.
- Brantsaeter AL, Ydersbond TA, Hoppin JA, Haugen M, Meltzer HM. Organic food in the diet: exposure and health implications. *Annu Rev Public Health*. 2017;38:295-313. doi:10.1146/annurev-publhealth-031816-044437.

Scientific/Medical Publications

Features of the Core Food Plan (continued)

- Hurtado-Barroso S, Tresserra-Rimbau A, Vallverdú-Queralt A, Lamuela-Raventós RM. Organic food and the impact on human health. *Crit Rev Food Sci Nutr*. 2019;59(4):704-714. doi:10.1080/10408398.2017.1394815.
- Mie A, Andersen HR, Gunnarsson S, et al. Human health implications of organic food and organic agriculture: a comprehensive review. *Environ Health*. 2017;16(1):111. doi:10.1186/s12940-017-0315-4.
- Paddon-Jones D, Campbell WW, Jacques PF, et al. Protein and healthy aging. *Am J Clin Nutr*. 2015;101(6):1339S-1345S. doi:10.3945/ajcn.114.084061.
- Rietman A, Schwarz J, Tomé D, Kok FJ, Mensink M. High dietary protein intake, reducing or eliciting insulin resistance? *Eur J Clin Nutr*. 2014;68(9):973-979. doi:10.1038/ejcn.2014.123.
- McNeill SH. Inclusion of red meat in healthful dietary patterns. *Meat Science*. 2014;98(3):452-460. doi:10.1016/j.meatsci.2014.06.028.
- Zhou D, Yu H, He F, et al. Nut consumption in relation to cardiovascular disease risk and type 2 diabetes: a systematic review and meta-analysis of prospective studies. *Am J Clin Nutr*. 2014;100(1):270-277. doi:10.3945/ajcn.113.079152.
- Karsten HD, Patterson PH, Stout R, Crews G. Vitamins A, E and fatty acid composition of the eggs of caged hens and pastured hens. *Renew Agric Food Syst*. 2010;25(1):45-54. doi:10.1017/S1742170509990214.
- Daley CA, Abbott A, Doyle PS, Nader GA, Larson S. A review of fatty acid profiles and antioxidant content in grass-fed and grain-fed beef. *Nutr J*. 2010;9(1):10. doi:10.1186/1475-2891-9-10.
- Innes JK, Calder PC. Omega-6 fatty acids and inflammation. *Prostaglandins Leukot Essent Fatty Acids*. 2018;132:41-48. doi:10.1016/j.plefa.2018.03.004.
- Bäck M, Hansson GK. Omega-3 fatty acids, cardiovascular risk, and the resolution of inflammation. *FASEB J*. 2019;33(2):1536-1539. doi:10.1096/fj.201802445R.
- Sacks FM, Lichtenstein AH, Wu JHY, et al. Dietary fats and cardiovascular disease: a presidential advisory from the American Heart Association. *Circulation*. 2017;136(3). doi:10.1161/CIR.0000000000000510.
- Nier A, Brandt A, Conzelmann I, Özel Y, Bergheim I. Non-alcoholic fatty liver disease in overweight children: role of fructose intake and dietary pattern. *Nutrients*. 2018;10(9):1329. doi:10.3390/nu10091329.
- Chiavaroli L, de Souza RJ, Ha V, et al. Effect of fructose on established lipid targets: a systematic review and meta-analysis of controlled feeding trials. *JAMA*. 2015;4(9). doi:10.1161/JAHA.114.001700.

Scientific/Medical Publications

Features of the Core Food Plan (continued)

- David Wang D, Sievenpiper JL, de Souza RJ, et al. Effect of fructose on postprandial triglycerides: a systematic review and meta-analysis of controlled feeding trials. *Atherosclerosis*. 2014;232(1):125-133. doi:10.1016/j.atherosclerosis.2013.10.019.
- Widmer RJ, Freund MA, Flammer AJ, et al. Beneficial effects of polyphenol-rich olive oil in patients with early atherosclerosis. *Eur J Nutr*. 2013;52(3):1223-1231. doi:10.1007/s00394-012-0433-2.
- Baum SJ, Kris-Etherton PM, Willett WC, et al. Fatty acids in cardiovascular health and disease: a comprehensive update. *J Clin Lipidol*. 2012;6(3):216-234. doi:10.1016/j.jacl.2012.04.077.
- Flock MR, Fleming JA, Kris-Etherton PM. Macronutrient replacement options for saturated fat: effects on cardiovascular health. *Curr Opin Lipidol*. 2014;25(1):67-74. doi:10.1097/MOL.0000000000000039.
- Warrilow A, Mellor D, McKune A, Pumpa K. Dietary fat, fibre, satiation, and satiety—a systematic review of acute studies. *Eur J Clin Nutr*. 2019;73(3):333-344. doi:10.1038/s41430-018-0295-7.
- Clark MJ, Slavin JL. The effect of fiber on satiety and food intake: a systematic review. *J Am Coll Nutr*. 2013;32(3):200-211. doi:10.1080/07315724.2013.791194.
- Nakajima A, Sasaki T, Itoh K, et al. A soluble fiber diet increases bacteroides fragilis group abundance and immunoglobulin A production in the gut. *Appl Environ Microbiol*. 2020;86(13):e00405-20. Published 2020 Jun 17. doi:10.1128/AEM.00405-20.
- Simpson HL, Campbell BJ. Review article: dietary fibre-microbiota interactions. *Aliment Pharmacol Ther*. 2015;42(2):158-179. doi:10.1111/apt.13248.
- Marriott BP, Hunt KJ, Malek AM, Newman JC. Trends in intake of energy and total sugar from sugar-sweetened beverages in the united states among children and adults, NHANES 2003–2016. *Nutrients*. 2019;11(9):2004. doi:10.3390/nu11092004.
- Imamura F, O'Connor L, Ye Z, et al. Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. *BMJ*. Published online July 21, 2015:h3576. doi:10.1136/bmj.h3576.
- Ley SH, Ardisson Korat AV, Sun Q, et al. Contribution of the nurses' health studies to uncovering risk factors for type 2 diabetes: diet, lifestyle, biomarkers, and genetics. *Am J Public Health*. 2016;106(9):1624-1630. doi:10.2105/AJPH.2016.303314.

Scientific/Medical Publications

Features of the Core Food Plan (continued)

- Jensen T, Abdelmalek MF, Sullivan S, et al. Fructose and sugar: a major mediator of non-alcoholic fatty liver disease. *J Hepatol.* 2018;68(5):1063-1075. doi:10.1016/j.jhep.2018.01.019doi:10.1016/j.jhep.2018.01.019.
- Mathur K, Agrawal R, Nagpure S, Deshpande D. Effect of artificial sweeteners on insulin resistance among type-2 diabetes mellitus patients. *J Family Med Prim Care.* 2020;9(1):69. doi:10.4103/jfmpc.jfmpc_329_19.
- Nier A, Brandt A, Conzelmann I, Özel Y, Bergheim I. Non-alcoholic fatty liver disease in overweight children: role of fructose intake and dietary pattern. *Nutrients.* 2018;10(9):1329. doi:10.3390/nu10091329.
- Luo S, Monterosso JR, Sarpelleh K, Page KA. Differential effects of fructose versus glucose on brain and appetitive responses to food cues and decisions for food rewards. *Proc Natl Acad Sci USA.* 2015;112(20):6509-6514. doi:10.1073/pnas.1503358112.
- Crézé C, Candal L, Cros J, et al. The impact of caloric and non-caloric sweeteners on food intake and brain responses to food: a randomized crossover controlled trial in healthy humans. *Nutrients.* 2018;10(5):615. doi:10.3390/nu10050615.
- Hert KA, Fisk PS 2nd, Rhee YS, Brunt AR. Decreased consumption of sugar-sweetened beverages improved selected biomarkers of chronic disease risk among US adults: 1999 to 2010. *Nutr Res.* 2014;34(1):58-65. doi:10.1016/j.nutres.2013.10.005.
- Niwano Y, Adachi T, Kashimura J, et al. Is glycemic index of food a feasible predictor of appetite, hunger, and satiety? *J Nutr Sci Vitaminol.* 2009;55(3):201-207. doi:10.3177/jnsv.55.201.
- Makris AP, Borradaile KE, Oliver TL, et al. The individual and combined effects of glycemic index and protein on glycemic response, hunger, and energy intake. *Obesity.* 2011;19(12):2365-2373. doi:10.1038/oby.2011.145.
- Vazquez-Prieto MA, Bettaieb A, Haj FG, Fraga CG, Oteiza PI. (-)-Epicatechin prevents TNF α -induced activation of signaling cascades involved in inflammation and insulin sensitivity in 3T3-L1 adipocytes. *Arch Biochem Biophys.* 2012;527(2):113-118. doi:10.1016/j.abb.2012.02.01942.
- Castro-Acosta ML, Smith L, Miller RJ, McCarthy DI, Farrimond JA, Hall WL. Drinks containing anthocyanin-rich blackcurrant extract decrease postprandial blood glucose, insulin and incretin concentrations. *J Nutr Biochem.* 2016;38:154-161. doi:10.1016/j.jnutbio.2016.09.002.
- Huang H, Chen G, Liao D, Zhu Y, Xue X. Effects of berries consumption on cardiovascular risk factors: a meta-analysis with trial sequential analysis of randomized controlled trials. *Sci Rep.* 2016;6(1):23625. doi:10.1038/srep23625.

Scientific/Medical Publications

Features of the Core Food Plan (continued)

- Liu RH. Dietary bioactive compounds and their health implications. *J Food Sci.* 2013;78 Suppl 1:A18-A25. doi:10.1111/1750-3841.12101.
- Almario RU, Karakas SE. Lignan content of the flaxseed influences its biological effects in healthy men and women. *J Am Coll Nutr.* 2013;32(3):194-199. doi:10.1080/07315724.2013.791147.
- Bohn SK, Ward NC, Hodgson JM, Croft KD. Effects of tea and coffee on cardiovascular disease risk. *Food Funct.* 2012;3(6):575. doi:10.1039/c2fo10288a.
- Johnson SA, Figueroa A, Navaei N, et al. Daily blueberry consumption improves blood pressure and arterial stiffness in postmenopausal women with pre- and stage 1-hypertension: a randomized, double-blind, placebo-controlled clinical trial. *J Acad Nutr Diet.* 2015;115(3):369-377. doi:10.1016/j.jand.2014.11.001.
- Murphy MM, Barraj LM, Spungen JH, Herman DR, Randolph RK. Global assessment of select phytonutrient intakes by level of fruit and vegetable consumption. *Br J Nutr.* 2014;112(6):1004-1018. doi:10.1017/S0007114514001937.
- Ma L, Sun Z, Zeng Y, Luo M, Yang J. Molecular mechanism and health role of functional ingredients in blueberry for chronic disease in human beings. *IJMS.* 2018;19(9):2785. doi:10.3390/ijms19092785.
- Leidy HJ, Clifton PM, Astrup A, et al. The role of protein in weight loss and maintenance. *Am J Clin Nutr.* 2015;101(6):1320S-1329S. doi:10.3945/ajcn.114.084038.
- Li SS, Kendall CWC, Souza RJ, et al. Dietary pulses, satiety and food intake: a systematic review and meta-analysis of acute feeding trials. *Obesity.* 2014;22(8):1773-1780. doi:10.1002/oby.20782.
- MacDonald LE, Brett J, Kelton D, Majowicz SE, Snedeker K, Sargeant JM. A systematic review and meta-analysis of the effects of pasteurization on milk vitamins, and evidence for raw milk consumption and other health-related outcomes. *J. Food Prot.* 2011;74(11):1814-1832. doi:10.4315/0362-028X.JFP-10-269.
- Butler MI, Bastiaanssen TFS, Long-Smith C, et al. Recipe for a healthy gut: intake of unpasteurised milk is associated with increased lactobacillus abundance in the human gut microbiome. *Nutrients.* 2020;12(5):1468. doi:10.3390/nu12051468.
- Palupi E, Jayanegara A, Ploeger A, Kahl J. Comparison of nutritional quality between conventional and organic dairy products: a meta-analysis. *J Sci Food Agric.* 2012;92(14):2774-2781. doi:10.1002/jsfa.5639.

Scientific/Medical Publications

Touring Through the Food Plan (continued)

- de Carvalho C, Caramujo M. The various roles of fatty acids. *Molecules*. 2018;23(10):2583. doi:10.3390/molecules23102583.
- Schulze MB, Martínez-González MA, Fung TT, Lichtenstein AH, Forouhi NG. Food based dietary patterns and chronic disease prevention. *BMJ*. Published online June 13, 2018;k2396. doi:10.1136/bmj.k2396.
- McCullough ML, Peterson JJ, Patel R, Jacques PF, Shah R, Dwyer JT. Flavonoid intake and cardiovascular disease mortality in a prospective cohort of US adults. *Am. J. Clin. Nutr.* 2012;95(2):454-464. doi:10.3945/ajcn.111.016634.
- Navarro SL, Schwarz Y, Song X, et al. Cruciferous vegetables have variable effects on biomarkers of systemic inflammation in a randomized controlled trial in healthy young adults. *Nutrition*. 2014;144(11):1850-1857. doi:10.3945/jn.114.197434.
- Gonzales JF, Barnard ND, Jenkins DJ, et al. Applying the precautionary principle to nutrition and cancer. *J Am Coll Nutr.* 2014;33(3):239-246. doi:10.1080/07315724.2013.866527.
- Meng H, Matthan NR, Ausman LM, Lichtenstein AH. Effect of macronutrients and fiber on postprandial glycemic responses and meal glycemic index and glycemic load value determinations. *Am J Clin Nutr.* 2017;105(4):842-853. doi:10.3945/ajcn.116.144162.
- Opara E, Chohan M. Culinary herbs and spices: their bioactive properties, the contribution of polyphenols and the challenges in deducing their true health benefits. *IJMS*. 2014;15(10):19183-19202. doi:10.3390/ijms151019183.
- Saraf-Bank S, Ahmadi A, Paknahad Z, Maracy M, Nourian M. Effects of curcumin supplementation on markers of inflammation and oxidative stress among healthy overweight and obese girl adolescents: a randomized placebo-controlled clinical trial. *Phytother Res.* 2019;33(8):2015-2022. doi:10.1002/ptr.6370.
- Amalraj A, Varma K, Jacob J, et al. A novel highly bioavailable curcumin formulation improves symptoms and diagnostic indicators in rheumatoid arthritis patients: a randomized, double-blind, placebo-controlled, two-dose, three-arm, and parallel-group study. *J Med Food.* 2017;20(10):1022-1030. doi:10.1089/jmf.2017.3930.
- Adab Z, Eghtesadi S, Vafa MR, et al. Effect of turmeric on glycemic status, lipid profile, hs-CRP, and total antioxidant capacity in hyperlipidemic type 2 diabetes mellitus patients. *Phytother Res.* 2019;33(4):1173-1181. doi:10.1002/ptr.6312.
- Fifi A, Axelrod C, Chakraborty P, Saps M. Herbs and spices in the treatment of functional gastrointestinal disorders: a review of clinical trials. *Nutrients*. 2018;10(11):1715. doi:10.3390/nu10111715.

Scientific/Medical Publications

Touring Through the Food Plan (continued)

- Jiang TA. Health benefits of culinary herbs and spices. *J AOAC Int.* 2019;102(2):395-411. doi:10.5740/jaoacint.18-0418.

Frequently Asked Questions

- Commissioner of the antimicrobial resistance information from FDA. FDA. Published online February 23, 2021. Accessed February 23, 2021. <https://www.fda.gov/emergency-preparedness-and-response/mcm-issues/antimicrobial-resistance-information-fda>.
- Baudry J, Assmann KE, Touvier M, et al. Association of frequency of organic food consumption with cancer risk: findings from the nutrinet-santé prospective cohort study. *JAMA Intern Med.* 2018;178(12):1597. doi:10.1001/jamainternmed.2018.4357.
- USDA Agricultural Marketing Service. Introduction to Organic Practices. <https://www.ams.usda.gov/publications/content/introduction-organic-practices>. Updated September 11, 2015. Accessed March 5, 2021.
- Jang J, Shin M-J, Kim OY, Park K. Longitudinal association between egg consumption and the risk of cardiovascular disease: interaction with type 2 diabetes mellitus. *Nutr & Diabetes.* 2018;8(1):20. doi:10.1038/s41387-018-0033-1.
- Díez-Espino J, Basterra-Gortari FJ, Salas-Salvadó J, et al. Egg consumption and cardiovascular disease according to diabetic status: The PREDIMED study. *Clinical Nutrition.* 2017;36(4):1015-1021. doi:10.1016/j.clnu.2016.06.009.
- Xia P, Pan X, Chen C, Wang Y, Ye Y, Pan A. Dietary intakes of eggs and cholesterol in relation to all-cause and heart disease mortality: a prospective cohort study. *JAHA.* 2020;9(10). doi:10.1161/JAHA.119.015743.
- Baenas N, Marhuenda J, García-Viguera C, Zafrilla P, Moreno D. Influence of cooking methods on glucosinolates and isothiocyanates content in novel cruciferous foods. *Foods.* 2019;8(7):257. doi:10.3390/foods8070257.
- Łata B. Relationship between apple peel and the whole fruit antioxidant content: year and cultivar variation. *J Agric Food Chem.* 2007;55(3):663-671. doi:10.1021/jf062664j.
- Tarazona-Díaz M, Aguayo E. Assessment of by-products from fresh-cut products for reuse as bioactive compounds. *Food Sci Technol Int.* 2013;19(5):439-446. doi:10.1177/1082013212455346.
- Palermo M, Pellegrini N, Fogliano V. The effect of cooking on the phytochemical content of vegetables: effect of cooking on vegetable phytochemicals. *J Sci Food Agric.* 2014;94(6):1057-1070. doi:10.1002/jsfa.6478.

Scientific/Medical Publications

Frequently Asked Questions (continued)

- Bouzari A, Holstege D, Barrett DM. Mineral, fiber, and total phenolic retention in eight fruits and vegetables: a comparison of refrigerated and frozen storage. *J Agric Food Chem*. 2015;63(3):951-956. doi:10.1021/jf504890k.
- Valderas-Martinez P, Chiva-Blanch G, Casas R, et al. Tomato sauce enriched with olive oil exerts greater effects on cardiovascular disease risk factors than raw tomato and tomato sauce: a randomized trial. *Nutrients*. 2016;8(3):170. doi:10.3390/nu8030170.
- Bouzari A, Holstege D, Barrett DM. Mineral, fiber, and total phenolic retention in eight fruits and vegetables: a comparison of refrigerated and frozen storage. *J Agric Food Chem*. 2015;63(3):951-956. doi:10.1021/jf504890k.
- Hert KA, Fisk PS, Rhee YS, Brunt AR. Decreased consumption of sugar-sweetened beverages improved selected biomarkers of chronic disease risk among US adults: 1999 to 2010. *Nutrition Research*. 2014;34(1):58-65. doi:10.1016/j.nutres.2013.10.005.
- Aeberli I, Gerber PA, Hochuli M, et al. Low to moderate sugar-sweetened beverage consumption impairs glucose and lipid metabolism and promotes inflammation in healthy young men: a randomized controlled trial. *Am J Clin Nutr*. 2011;94(2):479-485. doi:10.3945/ajcn.111.013540.
- Jackson R, Brennan S, Fielding P, et al. Distinct and complementary roles for α and β isoenzymes of PKC in mediating vasoconstrictor responses to acutely elevated glucose. *Br J Pharmacol*. 2016;173(5):870-887. doi:10.1111/bph.13399.
- Shapiro A, Mu W, Roncal C, Cheng KY, Johnson RJ, Scarpace PJ. Fructose-induced leptin resistance exacerbates weight gain in response to subsequent high-fat feeding. *Am J Physiol Regul Integr Comp Physiol*. 2008;295(5):R1370-R1375. doi:10.1152/ajpregu.00195.2008.
- Swithers SE. Artificial sweeteners are not the answer to childhood obesity. *Appetite*. 2015;93:85-90. doi:10.1016/j.appet.2015.03.027.
- Janssen I, Landay AL, Ruppert K, Powell LH. Moderate wine consumption is associated with lower hemostatic and inflammatory risk factors over 8 years: the Study of Women's health Across the Nation (SWAN). *Nutr Aging (Amst)*. 2014;2(2-3):91-99. doi:10.3233/NUA-130034.
- Pignatelli P, Ghiselli A, Buchetti B, et al. Polyphenols synergistically inhibit oxidative stress in subjects given red and white wine. *Atherosclerosis*. 2006;188(1):77-83. doi:10.1016/j.atherosclerosis.2005.10.025.
- Tresserra-Rimbau A, Medina-Remón A, Lamuela-Raventós RM, et al. Moderate red wine consumption is associated with a lower prevalence of the metabolic syndrome in the PREDIMED population. *Br J Nutr*. 2015;113(S2):S121-S130. doi:10.1017/S0007114514003262.

Scientific/Medical Publications

Frequently Asked Questions (continued)

- Prysyzhna O, Wolhuter K, Switzer C, et al. Blood pressure–lowering by the antioxidant resveratrol is counterintuitively mediated by oxidation of cgmp-dependent protein kinase. *Circulation*. 2019;140(2):126-137. doi:10.1161/CIRCULATIONAHA.118.037398.
- Chang G-R, Chen P-L, Hou P-H, Mao FC. Resveratrol protects against diet-induced atherosclerosis by reducing low-density lipoprotein cholesterol and inhibiting inflammation in apolipoprotein E-deficient mice. *Iran J Basic Med Sci*. 2015;18(11):1063-1071.
- Ma H, Malone KE, McDonald JA, et al. Pre-diagnosis alcohol consumption and mortality risk among black women and white women with invasive breast cancer. *BMC Cancer*. 2019;19(1):800. doi:10.1186/s12885-019-5991-8.
- Komorita Y, Iwase M, Fujii H, et al. Additive effects of green tea and coffee on all-cause mortality in patients with type 2 diabetes mellitus: the Fukuoka Diabetes Registry. *BMJ Open Diab Res Care*. 2020;8(1):e001252. doi:10.1136/bmjdr-2020-001252.
- Hartley TR, Sung BH, Pincomb GA, Whitsett TL, Wilson MF, Lovallo WR. Hypertension risk status and effect of caffeine on blood pressure. *Hypertension*. 2000;36(1):137-141. doi:10.1161/01.HYP.36.1.137.
- Asbaghi O, Sadeghian M, Nasiri M, et al. The effects of green coffee extract supplementation on glycemic indices and lipid profile in adults: a systematic review and dose-response meta-analysis of clinical trials. *Nutr J*. 2020;19(1):71. doi:10.1186/s12937-020-00587-z.
- Lovallo WR, Farag NH, Vincent AS, Thomas TL, Wilson MF. Cortisol responses to mental stress, exercise, and meals following caffeine intake in men and women. *Pharmacol Biochem Behav*. 2006;83(3):441-447. doi:10.1016/j.pbb.2006.03.005.
- Mineharu Y, Koizumi A, Wada Y, et al. Coffee, green tea, black tea and oolong tea consumption and risk of mortality from cardiovascular disease in Japanese men and women. *J Epidemiol Community Health*. 2011;65(3):230-240. doi:10.1136/jech.2009.097311.
- Gaeini Z, Bahadoran Z, Mirmiran P, Azizi F. Tea, coffee, caffeine intake and the risk of cardio-metabolic outcomes: findings from a population with low coffee and high tea consumption. *Nutr Metab (Lond)*. 2019;16(1):28. doi:10.1186/s12986-019-0355-6.

