
Mito Food Plan— Bibliography

Scientific/Medical Publications

Why the Mito Food Plan?

Wesselink E, Koekkoek WAC, Grefte S, Witkamp RF, van Zanten ARH. Feeding mitochondria: potential role of nutritional components to improve critical illness convalescence. *Clin Nutr.* 2019;38(3):982-995. doi:10.1016/j.clnu.2018.08.032.

Dikalov S, Itani H, Richmond B, et al. Tobacco smoking induces cardiovascular mitochondrial oxidative stress, promotes endothelial dysfunction, and enhances hypertension. *Am J Physiol Heart Circ Physiol.* 2019;316(3):H639-H646. doi:10.1152/ajpheart.00595.2018.

Trumpff C, Michelson J, Lagranha CJ, et al. Stress and circulating cell-free mitochondrial DNA: a systematic review of human studies, physiological considerations, and technical recommendations [published online ahead of print, 2021 Apr 8]. *Mitochondrion.* 2021;S1567-7249(21)00048-9. doi:10.1016/j.mito.2021.04.002.

Sharma VK, Singh TG. Insulin resistance and bioenergetic manifestations: targets and approaches in Alzheimer's disease. *Life Sci.* 2020;262:118401. doi:10.1016/j.lfs.2020.118401.

Features of the Mito Food Plan

Kaur N, Chugh H, Sakharkar MK, Dhawan U, Chidambaram SB, Chandra R. Neuroinflammation mechanisms and phytotherapeutic intervention: a systematic review. *ACS Chem Neurosci.* 2020;11(22):3707-3731. doi:10.1021/acscemneuro.0c00427.

Deretic V. Autophagy in inflammation, infection, and immunometabolism. *Immunity.* 2021;54(3):437-453. doi:10.1016/j.immuni.2021.01.018.

Miranda M, Morici JF, Zanoni MB, Bekinschtein P. Brain-derived neurotrophic factor: a key molecule for memory in the healthy and the pathological brain. *Front Cell Neurosci.* 2019;13:363. Published 2019 Aug 7. doi:10.3389/fncel.2019.00363.

Miller VJ, Villamena FA, Volek JS. Nutritional ketosis and mitohormesis: potential implications for mitochondrial function and human health. *J Nutr Metab.* 2018;2018:5157645. Published 2018 Feb 11. doi:10.1155/2018/5157645.

Davis JJ, Fournakis N, Ellison J. Ketogenic diet for the treatment and prevention of dementia: a review. *J Geriatr Psychiatry Neurol.* 2021;34(1):3-10. doi:10.1177/0891988720901785.

Scientific/Medical Publications

Features of the Mito Food Plan (continued)

Morris G, Maes M, Berk M, Carvalho AF, Puri BK. Nutritional ketosis as an intervention to relieve astroglia: Possible therapeutic applications in the treatment of neurodegenerative and neuroprogressive disorders. *Eur Psychiatry*. 2020;63(1):e8. Published 2020 Jan 31. doi:10.1192/j.eurpsy.2019.13.

Shah LM, Turner Z, Bessone SK, Winesett SP, Stanfield A, Kossoff EH. How often is antiseizure drug-free ketogenic diet therapy achieved?. *Epilepsy Behav*. 2019;93:29-31. doi:10.1016/j.yebeh.2019.01.042.

Caraballo R, Darra F, Reyes G, et al. The ketogenic diet in patients with myoclonic status in non-progressive encephalopathy. *Seizure*. 2017;51:1-5. doi:10.1016/j.seizure.2017.07.002.

Qian J, Wolters FJ, Beiser A, et al. APOE-related risk of mild cognitive impairment and dementia for prevention trials: an analysis of four cohorts. *PLoS Med*. 2017;14(3):e1002254. Published 2017 Mar 21. doi:10.1371/journal.pmed.1002254.

Therriault J, Pascoal TA, Benedet AL, et al. Frequency of biologically defined Alzheimer disease in relation to age, sex, APOE e4, and cognitive impairment. *Neurology*. 2021;96(7):e975-e985. doi:10.1212/WNL.0000000000011416.

Huang Y, Mahley RW. Apolipoprotein E: structure and function in lipid metabolism, neurobiology, and Alzheimer's diseases. *Neurobiol Dis*. 2014;72 Pt A:3-12. doi:10.1016/j.nbd.2014.08.025.

Patrick RP. Role of phosphatidylcholine-DHA in preventing APOE4-associated Alzheimer's disease. *FASEB J*. 2019;33(2):1554-1564. doi:10.1096/fj.201801412R.

Wang N, Liu Q, Liu H, et al. Association of apolipoprotein E polymorphisms and risks of ischemic stroke in Chinese patients with type 2 diabetes mellitus. *J Diabetes Res*. 2021;2021:8816996. Published 2021 Jan 3. doi:10.1155/2021/8816996.

Touring Through the Mito Food Plan

Distelmaier F, Haack TB, Wortmann SB, Mayr JA, Prokisch H. Treatable mitochondrial diseases: cofactor metabolism and beyond. *Brain*. 2017;140(2):e11. doi:10.1093/brain/aww303.

Pantic I, Cumic J, Skodric SR, Dugalic S, Brodski C. Oxidopamine and oxidative stress: recent advances in experimental physiology and pharmacology. *Chem Biol Interact*. 2021;336:109380. doi:10.1016/j.cbi.2021.109380.

Sharma VK, Singh TG. Insulin resistance and bioenergetic manifestations: targets and approaches in Alzheimer's disease. *Life Sci*. 2020;262:118401. doi:10.1016/j.lfs.2020.118401.

Scientific/Medical Publications

Touring Through the Mito Food Plan (continued)

Zhang MY, Jiang YX, Yang YC, et al. Cigarette smoke extract induces pyroptosis in human bronchial epithelial cells through the ROS/NLRP3/caspase-1 pathway. *Life Sci.* 2021;269:119090. doi:10.1016/j.lfs.2021.119090.

Lyu L, He S, Zhang H, et al. TNF α mediates the interaction of telomeres and mitochondria induced by hyperglycemia: a rural community-based cross-sectional study. *Oxid Med Cell Longev.* 2020;2020:8235873. Published 2020 May 4. doi:10.1155/2020/8235873

Ding XY, Liu KQ, Zhao WH. *Zhonghua Yi Xue Za Zhi.* 2020;100(48):3897-3902. doi:10.3760/cma.j.cn112137-20200728-02230.

Teskey G, Abraham R, Cao R, et al. Glutathione as a marker for human disease. *Adv Clin Chem.* 2018;87:141-159. doi:10.1016/bs.acc.2018.07.004.

Rossnerova A, Izzotti A, Pulliero A, Bast A, Rattan SIS, Rossner P. The molecular mechanisms of adaptive response related to environmental stress. *Int J Mol Sci.* 2020;21(19):7053. Published 2020 Sep 25. doi:10.3390/ijms21197053.

Rajaram S, Jones J, Lee GJ. Plant-based dietary patterns, plant foods, and age-related cognitive decline. *Adv Nutr.* 2019;10(Suppl_4):S422-S436. doi:10.1093/advances/nmz081.

Heshmati J, Moini A, Sepidarkish M, et al. Effects of curcumin supplementation on blood glucose, insulin resistance and androgens in patients with polycystic ovary syndrome: a randomized double-blind placebo-controlled clinical trial. *Phytomedicine.* 2021;80:153395. doi:10.1016/j.phymed.2020.153395.

Saberi-Karimian M, Keshvari M, Ghayour-Mobarhan M, et al. Effects of curcuminoids on inflammatory status in patients with non-alcoholic fatty liver disease: a randomized controlled trial. *Complement Ther Med.* 2020;49:102322. doi:10.1016/j.ctim.2020.102322.

Uchio R, Muroyama K, Okuda-Hanafusa C, Kawasaki K, Yamamoto Y, Murosaki S. Hot water extract of *Curcuma longa* L. improves serum inflammatory markers and general health in subjects with overweight or prehypertension/mild hypertension: a randomized, double-blind, placebo-controlled trial. *Nutrients.* 2019;11(8):1822. Published 2019 Aug 7. doi:10.3390/nu11081822.

Herbst EA, Paglialunga S, Gerling C, et al. Omega-3 supplementation alters mitochondrial membrane composition and respiration kinetics in human skeletal muscle. *J Physiol.* 2014;592(6):1341-1352. doi:10.1113/jphysiol.2013.267336.

Hosseini M, Poljak A, Braidy N, Crawford J, Sachdev P. Blood fatty acids in Alzheimer's disease and mild cognitive impairment: a meta-analysis and systematic review. *Ageing Res Rev.* 2020;60:101043. doi:10.1016/j.arr.2020.101043.

Scientific/Medical Publications

Touring Through the Mito Food Plan (continued)

Wang L, Tao L, Hao L, et al. A moderate-fat diet with one avocado per day increases plasma antioxidants and decreases the oxidation of small, dense LDL in adults with overweight and obesity: a randomized controlled trial. *J Nutr*. 2020;150(2):276-284. doi:10.1093/jn/nxz231.

Tabeshpour J, Razavi BM, Hosseinzadeh H. Effects of avocado (*Persea americana*) on metabolic syndrome: a comprehensive systematic review. *Phytother Res*. 2017;31(6):819-837. doi:10.1002/ptr.5805.

Visioli F, Caruso D, Grande S, et al. Virgin Olive Oil Study (VOLOS): vasoprotective potential of extra virgin olive oil in mildly dyslipidemic patients. *Eur J Nutr*. 2005;44(2):121-127. doi:10.1007/s00394-004-0504-0.

Fernandes J, Fialho M, Santos R, et al. Is olive oil good for you? A systematic review and meta-analysis on anti-inflammatory benefits from regular dietary intake. *Nutrition*. 2020;69:110559. doi:10.1016/j.nut.2019.110559.

Haythorne E, Rohm M, van de Bunt M, et al. Diabetes causes marked inhibition of mitochondrial metabolism in pancreatic B-cells. *Nat Commun*. 2019;10(1):2474. Published 2019 Jun 6. doi:10.1038/s41467-019-10189-x.

Mozaffari H, Hosseini Z, Lafrenière J, Conklin AI. The role of dietary diversity in preventing metabolic-related outcomes: findings from a systematic review [published online ahead of print, 2021 Feb 21]. *Obes Rev*. 2021;10.1111/obr.13174. doi:10.1111/obr.13174.

Hill E, Goodwill AM, Gorelik A, Szoek C. Diet and biomarkers of Alzheimer's disease: a systematic review and meta-analysis. *Neurobiol Aging*. 2019;76:45-52. doi:10.1016/j.neurobiolaging.2018.12.008.

Burke LM, Whitfield J, Heikura IA, et al. Adaptation to a low carbohydrate high fat diet is rapid but impairs endurance exercise metabolism and performance despite enhanced glycogen availability. *J Physiol*. 2021;599(3):771-790. doi:10.1113/JP280221.

Burke LM, Ross ML, Garvican-Lewis LA, et al. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol*. 2017;595(9):2785-2807. doi:10.1113/JP273230.

Patterson RE, Laughlin GA, LaCroix AZ, et al. Intermittent fasting and human metabolic health. *J Acad Nutr Diet*. 2015;115(8):1203-1212. doi:10.1016/j.jand.2015.02.018.

Kim C, Pinto AM, Bordoli C, et al. Energy restriction enhances adult hippocampal neurogenesis-associated memory after four weeks in an adult human population with central obesity; a randomized controlled trial. *Nutrients*. 2020;12(3):638. Published 2020 Feb 28. doi:10.3390/nu12030638.

Scientific/Medical Publications

Touring Through the Mito Food Plan (continued)

Lettieri-Barbato D, Giovannetti E, Aquilano K. Effects of dietary restriction on adipose mass and biomarkers of healthy aging in human. *Aging (Albany NY)*. 2016;8(12):3341-3355. doi:10.18632/aging.101122.

Kang M, Yoo HJ, Kim M, Kim M, Lee JH. Metabolomics identifies increases in the acylcarnitine profiles in the plasma of overweight subjects in response to mild weight loss: a randomized, controlled design study. *Lipids Health Dis*. 2018;17(1):237. Published 2018 Oct 15. doi:10.1186/s12944-018-0887-1.

de Cabo R, Mattson MP. Effects of intermittent fasting on health, aging, and disease [published correction appears in *N Engl J Med*. 2020 Jan 16;382(3):298] [published correction appears in *N Engl J Med*. 2020 Mar 5;382(10):978]. *N Engl J Med*. 2019;381(26):2541-2551.

Uhde M, Yu X, Bunin A, et al. Phenotypic shift of small intestinal intra-epithelial type 1 innate lymphoid cells in celiac disease is associated with enhanced cytotoxic potential. *Clin Exp Immunol*. 2020;200(2):163-175. doi:10.1111/cei.13414.

Marafini I, Monteleone I, Di Fusco D, et al. TNF- α producing innate lymphoid cells (ILCs) are increased in active celiac disease and to promote intestinal atrophy in mice. *PLoS One*. 2015;10(5):e0126291. Published 2015 May 7. doi:10.1371/journal.pone.0126291.

Usai-Satta P, Bassotti G, Bellini M, Oppia F, Lai M, Cabras F. Irritable bowel syndrome and gluten-related disorders. *Nutrients*. 2020;12(4):1117. Published 2020 Apr 17. doi:10.3390/nu12041117.

Stefanelli G, Viscido A, Longo S, Magistrone M, Latella G. Persistent iron deficiency anemia in patients with celiac disease despite a gluten-free diet. *Nutrients*. 2020;12(8):2176. Published 2020 Jul 22. doi:10.3390/nu12082176.

Kohanmoo A, Faghih S, Akhlaghi M. Effect of short- and long-term protein consumption on appetite and appetite-regulating gastrointestinal hormones, a systematic review and meta-analysis of randomized controlled trials. *Physiol Behav*. 2020;226:113123. doi:10.1016/j.physbeh.2020.113123.

Park YM, Heden TD, Liu Y, et al. A high-protein breakfast induces greater insulin and glucose-dependent insulinotropic peptide responses to a subsequent lunch meal in individuals with type 2 diabetes. *J Nutr*. 2015;145(3):452-458. doi:10.3945/jn.114.20254.

Bonito LT, Hamdoun A, Sandin SA. Evaluation of the global impacts of mitigation on persistent, bioaccumulative and toxic pollutants in marine fish. *PeerJ*. 2016;4:e1573. Published 2016 Jan 28. doi:10.7717/peerj.1573.

Scientific/Medical Publications

Touring Through the Mito Food Plan (continued)

- Rodríguez-Hernández Á, Camacho M, Henríquez-Hernández LA, et al. Comparative study of the intake of toxic persistent and semi persistent pollutants through the consumption of fish and seafood from two modes of production (wild-caught and farmed). *Sci Total Environ*. 2017;575:919-931. doi:10.1016/j.scitotenv.2016.09.142.
- Cirillo T, Viscardi V, Fasano E, Farina A, Amodio-Cocchieri R. Polychlorinated biphenyls, organochlorine pesticides, and polycyclic aromatic hydrocarbons in wild, farmed, and frozen marine seafood marketed in Campania, Italy. *J Food Prot*. 2009;72(8):1677-1685. doi:10.4315/0362-028x-72.8.167.
- Donets MM, Yu Tsygankov V, Boyarova MD, et al. Flounders as indicators of environmental contamination by persistent organic pollutants and health risk. *Mar Pollut Bull*. 2021;164:111977. doi:10.1016/j.marpolbul.2021.111977.
- Moravek D, Duncan AM, VanderSluis LB, et al. Carbohydrate replacement of rice or potato with lentils reduces the postprandial glycemic response in healthy adults in an acute, randomized, crossover trial. *J Nutr*. 2018;148(4):535-541. doi:10.1093/jn/nxy018.
- Lukus PK, Doma KM, Duncan AM. The role of pulses in cardiovascular disease risk for adults with diabetes. *Am J Lifestyle Med*. 2020;14(6):571-584. Published 2020 May 25. doi:10.1177/1559827620916698.
- Schmidt KA, Cromer G, Burhans MS, et al. The impact of diets rich in low-fat or full-fat dairy on glucose tolerance and its determinants: a randomized controlled trial. *Am J Clin Nutr*. 2021;113(3):534-547. doi:10.1093/ajcn/nqaa301.
- Jiang W, Ju C, Jiang H, Zhang D. Dairy foods intake and risk of Parkinson's disease: a dose-response meta-analysis of prospective cohort studies. *Eur J Epidemiol*. 2014;29(9):613-619. doi:10.1007/s10654-014-9921-4.
- Olsson E, Byberg L, Höjjer J, Kilander L, Larsson SC. Milk and fermented milk intake and Parkinson's disease: cohort study. *Nutrients*. 2020;12(9):2763. Published 2020 Sep 10. doi:10.3390/nu12092763.
- Boulos C, Yaghi N, El Hayeck R, Heraoui GN, Fakhoury-Sayegh N. Nutritional risk factors, microbiota and Parkinson's disease: what is the current evidence?. *Nutrients*. 2019;11(8):1896. Published 2019 Aug 14. doi:10.3390/nu11081896.
- Zhang X, Chen X, Xu Y, et al. Milk consumption and multiple health outcomes: umbrella review of systematic reviews and meta-analyses in humans. *Nutr Metab (Lond)*. 2021;18(1):7. Published 2021 Jan 7. doi:10.1186/s12986-020-00527-y.
- Moosavian SP, Rahimlou M, Saneei P, Esmailzadeh A. Effects of dairy products consumption on inflammatory biomarkers among adults: a systematic review and meta-analysis of randomized controlled trials. *Nutr Metab Cardiovasc Dis*. 2020;30(6):872-888. doi:10.1016/j.numecd.2020.01.011.

Scientific/Medical Publications

Touring Through the Mito Food Plan (continued)

Gouda M, Moustafa A, Hussein L, Hamza M. Three week dietary intervention using apricots, pomegranate juice or/and fermented sour sobya and impact on biomarkers of antioxidative activity, oxidative stress and erythrocytic glutathione transferase activity among adults. *Nutr J*. 2016;15(1):52. Published 2016 May 12. doi:10.1186/s12937-016-0173-x.

Hughes KC, Gao X, Kim IY, et al. Intake of dairy foods and risk of Parkinson disease. *Neurology*. 2017;89(1):46-52. doi:10.1212/WNL.0000000000004057.

Godos J, Tieri M, Ghelfi F, et al. Dairy foods and health: an umbrella review of observational studies. *Int J Food Sci Nutr*. 2020;71(2):138-151. doi:10.1080/09637486.2019.1625035.

Miyake Y, Tanaka K, Fukushima W, et al. Lack of association of dairy food, calcium, and vitamin D intake with the risk of Parkinson's disease: a case-control study in Japan. *Parkinsonism Relat Disord*. 2011;17(2):112-116. doi:10.1016/j.parkreldis.2010.11.018.

Tognon G, Nilsson LM, Shungin D, et al. Nonfermented milk and other dairy products: associations with all-cause mortality. *Am J Clin Nutr*. 2017;105(6):1502-1511. doi:10.3945/ajcn.116.140798.

Ishihara L, Brayne C. A systematic review of nutritional risk factors of Parkinson's disease. *Nutr Res Rev*. 2005;18(2):259-282. doi:10.1079/NRR2005108.

van Steenwijk HP, Bast A, de Boer A. The role of circulating lycopene in low-grade chronic inflammation: a systematic review of the literature. *Molecules*. 2020;25(19):4378. Published 2020 Sep 23. doi:10.3390/molecules25194378.

Nouchi R, Suiko T, Kimura E, et al. Effects of lutein and astaxanthin intake on the improvement of cognitive functions among healthy adults: a systematic review of randomized controlled trials. *Nutrients*. 2020;12(3):617. Published 2020 Feb 27. doi:10.3390/nu12030617.

Yuan C, Chen H, Wang Y, Schneider JA, Willett WC, Morris MC. Dietary carotenoids related to risk of incident Alzheimer dementia (AD) and brain AD neuropathology: a community-based cohort of older adults [published online ahead of print, 2020 Nov 12]. *Am J Clin Nutr*. 2020;113(1):200-208. doi:10.1093/ajcn/nqaa303.

Kesse-Guyot E, Andreeva VA, Ducros V, et al. Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. *Br J Nutr*. 2014;111(5):915-923. doi:10.1017/S0007114513003188.

Inoguchi S, Ohashi Y, Narai-Kanayama A, Aso K, Nakagaki T, Fujisawa T. Effects of non-fermented and fermented soybean milk intake on faecal microbiota and faecal metabolites in humans. *Int J Food Sci Nutr*. 2012;63(4):402-410. doi:10.3109/09637486.2011.630992.

Scientific/Medical Publications

Touring Through the Mito Food Plan (continued)

Han K, Bose S, Wang JH, et al. Contrasting effects of fresh and fermented kimchi consumption on gut microbiota composition and gene expression related to metabolic syndrome in obese Korean women. *Mol Nutr Food Res*. 2015;59(5):1004-1008. doi:10.1002/mnfr.201400780.

Ko SJ, Kim J, Han G, et al. Laminaria japonica combined with probiotics improves intestinal microbiota: a randomized clinical trial. *J Med Food*. 2014;17(1):76-82. doi:10.1089/jmf.2013.3054.

Hiel S, Bindels LB, Pachikian BD, et al. Effects of a diet based on inulin-rich vegetables on gut health and nutritional behavior in healthy humans. *Am J Clin Nutr*. 2019;109(6):1683-1695. doi:10.1093/ajcn/nqz001.

Toaldo IM, Cruz FA, da Silva EL, Bordignon-Luiz MT. Acute consumption of organic and conventional tropical grape juices (*Vitis labrusca* L.) increases antioxidants in plasma and erythrocytes, but not glucose and uric acid levels, in healthy individuals. *Nutr Res*. 2016;36(8):808-817. doi:10.1016/j.nutres.2016.04.010.

Sarkhosh-Khorasani S, Sangsefidi ZS, Hosseinzadeh M. The effect of grape products containing polyphenols on oxidative stress: a systematic review and meta-analysis of randomized clinical trials. *Nutr J*. 2021;20(1):25. Published 2021 Mar 12. doi:10.1186/s12937-021-00686-5.

Bowtell JL, Aboo-Bakkar Z, Conway ME, Adlam AR, Fulford J. Enhanced task-related brain activation and resting perfusion in healthy older adults after chronic blueberry supplementation. *Appl Physiol Nutr Metab*. 2017;42(7):773-779. doi:10.1139/apnm-2016-0550.

Minich DM, Brown BI. A review of dietary (phyto)nutrients for glutathione support. *Nutrients*. 2019;11(9):2073. Published 2019 Sep 3. doi:10.3390/nu11092073.

Bensalem J, Dudonné S, Etchamendy N, et al. Polyphenols from grape and blueberry improve episodic memory in healthy elderly with lower level of memory performance: a bicentric double-blind, randomized, placebo-controlled clinical study. *J Gerontol A Biol Sci Med Sci*. 2019;74(7):996-1007. doi:10.1093/gerona/gly166.

Hein S, Whyte AR, Wood E, Rodriguez-Mateos A, Williams CM. Systematic review of the effects of blueberry on cognitive performance as we age. *J Gerontol A Biol Sci Med Sci*. 2019;74(7):984-995. doi:10.1093/gerona/glz082.

Jackson PA, Wightman EL, Veasey R, et al. A randomized, crossover study of the acute cognitive and cerebral blood flow effects of phenolic, nitrate and botanical beverages in young, healthy humans. *Nutrients*. 2020;12(8):2254. Published 2020 Jul 28. doi:10.3390/nu12082254.

Scientific/Medical Publications

Touring Through the Mito Food Plan (continued)

Uhde M, Yu X, Bunin A, et al. Phenotypic shift of small intestinal intra-epithelial type 1 innate lymphoid cells in celiac disease is associated with enhanced cytotoxic potential. *Clin Exp Immunol.* 2020;200(2):163-175. doi:10.1111/cei.13414.

Marafini I, Monteleone I, Di Fusco D, et al. TNF- α producing innate lymphoid cells (ILCs) are increased in active celiac disease and contribute to promote intestinal atrophy in mice. *PLoS One.* 2015;10(5):e0126291. Published 2015 May 7. doi:10.1371/journal.pone.0126291.

Usai-Satta P, Bassotti G, Bellini M, Oppia F, Lai M, Cabras F. Irritable bowel syndrome and gluten-related disorders. *Nutrients.* 2020;12(4):1117. Published 2020 Apr 17. doi:10.3390/nu12041117.

Stefanelli G, Viscido A, Longo S, Magistrone M, Latella G. Persistent iron deficiency anemia in patients with celiac disease despite a gluten-free diet. *Nutrients.* 2020;12(8):2176. Published 2020 Jul 22. doi:10.3390/nu12082176.

Dietary Reference Intakes for water, potassium, sodium, chloride, and sulfate (2005). The National Academies of Sciences, Engineering, Medicine. Accessed April 21, 2021. <https://www.nationalacademies.org/news/2004/02/report-sets-dietary-intake-levels-for-water-salt-and-potassium-to-maintain-health-and-reduce-chronic-disease-risk>.

Ran LS, Liu WH, Fang YY, et al. Alcohol, coffee and tea intake and the risk of cognitive deficits: a dose-response meta-analysis. *Epidemiol Psychiatr Sci.* 2021;30:e13. Published 2021 Feb 11. doi:10.1017/S2045796020001183.

Kakutani S, Watanabe H, Murayama N. Green tea intake and risks for dementia, Alzheimer's disease, mild cognitive impairment, and cognitive impairment: a systematic review. *Nutrients.* 2019;11(5):1165. Published 2019 May 24. doi:10.3390/nu11051165.

Zhang J, Wang A, Zhang X, et al. Association between tea consumption and cognitive impairment in middle-aged and older adults. *BMC Geriatr.* 2020;20(1):447. Published 2020 Nov 4. doi:10.1186/s12877-020-01848-6.

Therapeutic Foods for Healthy Mitochondria Function

Julibert A, Del Mar Bibiloni M, Gallardo-Alfaro L, et al. Metabolic syndrome features and excess weight were inversely associated with nut consumption after 1-year follow-up in the PREDIMED-Plus Study. *J Nutr.* 2020;150(12):3161-3170. doi:10.1093/jn/nxaa289.

de Souza RJ, Dehghan M, Mente A, et al. Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. *Am J Clin Nutr.* 2020;112(1):208-219. doi:10.1093/ajcn/nqaa108.

Scientific/Medical Publications

Therapeutic Foods for Healthy Mitochondria Function (continued)

Nurk E, Refsum H, Drevon CA, et al. Cognitive performance among the elderly in relation to the intake of plant foods. The Hordaland Health Study. *Br J Nutr.* 2010;104(8):1190-1201. doi:10.1017/S0007114510001807.

Jardim FR, Almeida FJS, Luckachaki MD, Oliveira MR. Effects of sulforaphane on brain mitochondria: mechanistic view and future directions. *J Zhejiang Univ Sci B.* 2020;21(4):263-279. doi:10.1631/jzus.B1900614.

Kwok CS, Gulati M, Michos ED, et al. Dietary components and risk of cardiovascular disease and all-cause mortality: a review of evidence from meta-analyses. *Eur J Prev Cardiol.* 2019;26(13):1415-1429. doi:10.1177/2047487319843667.

Zurbau A, Au-Yeung F, Blanco Mejia S, et al. Relation of different fruit and vegetable sources with incident cardiovascular outcomes: a systematic review and meta-analysis of prospective cohort studies. *J Am Heart Assoc.* 2020;9(19):e017728. doi:10.1161/JAHA.120.017728.

Zhang Z, Atwell LL, Farris PE, Ho E, Shannon J. Associations between cruciferous vegetable intake and selected biomarkers among women scheduled for breast biopsies. *Public Health Nutr.* 2016;19(7):1288-1295. doi:10.1017/S136898001500244X.

Mori N, Shimazu T, Sasazuki S, et al. Cruciferous vegetable intake is inversely associated with lung cancer risk among current nonsmoking men in the Japan Public Health Center (JPHC) Study. *J Nutr.* 2017;147(5):841-849. doi:10.3945/jn.117.247494.

Sakurai K, Shen C, Ezaki Y, et al. Effects of matcha green tea powder on cognitive functions of community-dwelling elderly individuals. *Nutrients.* 2020;12(12):3639. Published 2020 Nov 26. doi:10.3390/nu12123639.

Asbaghi O, Fouladvand F, Gonzalez MJ, et al. The effect of green tea on C-reactive protein and biomarkers of oxidative stress in patients with type 2 diabetes mellitus: a systematic review and meta-analysis. *Complement Ther Med.* 2019;46:210-216. doi:10.1016/j.ctim.2019.08.019.

Wang P, Zhang Q, Hou H, et al. The effects of pomegranate supplementation on biomarkers of inflammation and endothelial dysfunction: a meta-analysis and systematic review. *Complement Ther Med.* 2020;49:102358. doi:10.1016/j.ctim.2020.102358.

Siddarth P, Li Z, Miller KJ, et al. Randomized placebo-controlled study of the memory effects of pomegranate juice in middle-aged and older adults. *Am J Clin Nutr.* 2020;111(1):170-177. doi:10.1093/ajcn/nqz241.

Demmelmair H, Oyen J, Pickert T, et al. The effect of Atlantic salmon consumption on the cognitive performance of preschool children - a randomized controlled trial. *Clin Nutr.* 2019;38(6):2558-2568. doi:10.1016/j.clnu.2018.11.031.

Scientific/Medical Publications

Therapeutic Foods for Healthy Mitochondria Function (continued)

Chowdhury R, Stevens S, Gorman D, et al. Association between fish consumption, long chain omega 3 fatty acids, and risk of cerebrovascular disease: systematic review and meta-analysis. *BMJ*. 2012;345:e6698. Published 2012 Oct 30. doi:10.1136/bmj.e6698.

García-Rodríguez CE, Mesa MD, Olza J, et al. Does consumption of two portions of salmon per week enhance the antioxidant defense system in pregnant women?. *Antioxid Redox Signal*. 2012;16(12):1401-1406. doi:10.1089/ars.2012.4508.

Saini R. Coenzyme Q10: the essential nutrient. *J Pharm Bioallied Sci*. 2011;3(3):466-467. doi:10.4103/0975-7406.84471.

Zhang B, Xiong K, Cai J, Ma A. Fish consumption and coronary heart disease: a meta-analysis. *Nutrients*. 2020;12(8):2278. Published 2020 Jul 29. doi:10.3390/nu12082278.

Cao L, Lee SG, Lim KT, Kim HR. Potential anti-aging substances derived from seaweeds. *Mar Drugs*. 2020;18(11):564. Published 2020 Nov 18. doi:10.3390/md18110564.

Morris MC, Wang Y, Barnes LL, Bennett DA, Dawson-Hughes B, Booth SL. Nutrients and bioactives in green leafy vegetables and cognitive decline: prospective study. *Neurology*. 2018;90(3):e214-e222. doi:10.1212/WNL.0000000000004815.

Mao X, Chen C, Xun P, et al. Intake of vegetables and fruits through young adulthood is associated with better cognitive function in midlife in the US general population. *J Nutr*. 2019;149(8):1424-1433. doi:10.1093/jn/nxz076.

Bunea A, Andjelkovic M, Socaciu C, et al. Total and individual carotenoids and phenolic acids content in fresh, refrigerated and processed spinach (*Spinacia oleracea* L.). *Food Chem*. 2008;108(2):649-656. doi:10.1016/j.foodchem.2007.11.056.

Strategies for Optimizing Mitochondria

Inan-Eroglu E, Ayaz A, Buyuktuncer Z. Formation of advanced glycation endproducts in foods during cooking process and underlying mechanisms: a comprehensive review of experimental studies. *Nutr Res Rev*. 2020;33(1):77-89. doi:10.1017/S0954422419000209.

Stirban A, Kotsi P, Franke K, Strijowski U, et al. Acute macrovascular dysfunction in patients with type 2 diabetes induced by ingestion of advanced glycated B-lactoglobulins. *Diabetes Care*. 2013 May;36(5):1278-82. doi: 10.2337/dc12-1489.

Scientific/Medical Publications

Strategies for Optimizing Mitochondria (continued)

Poulsen MW, Hedegaard RV, Andersen JM, et al. Advanced glycation endproducts in food and their effects on health. *Food Chem Toxicol.* 2013;60:10-37. doi:10.1016/j.fct.2013.06.052.

Saini R. Coenzyme Q10: the essential nutrient. *J Pharm Bioallied Sci.* 2011;3(3):466-467. doi:10.4103/0975-7406.84471.

In Brief: Your Guide to Anemia. National Heart Lung and Blood Institute. https://www.nhlbi.nih.gov/files/docs/public/blood/anemia-inbrief_yg.pdf. Accessed 2 April 2021.

Mendham AE, Larsen S, George C, et al. Exercise training results in depot-specific adaptations to adipose tissue mitochondrial function. *Sci Rep.* 2020;10(1):3785. Published 2020 Mar 2. doi:10.1038/s41598-020-60286-x.

Axelrod CL, Fealy CE, Mulya A, Kirwan JP. Exercise training remodels human skeletal muscle mitochondrial fission and fusion machinery towards a pro-elongation phenotype. *Acta Physiol (Oxf).* 2019;225(4):e13216. doi:10.1111/apha.13216.

Chou CH, Fu TC, Tsai HH, et al. High-intensity interval training enhances mitochondrial bioenergetics of platelets in patients with heart failure. *Int J Cardiol.* 2019;274:214-220. doi:10.1016/j.ijcard.2018.07.104.

Robinson MM, Dasari S, Konopka AR, et al. Enhanced protein translation underlies improved metabolic and physical adaptations to different exercise training modes in young and old humans. *Cell Metab.* 2017;25(3):581-592. doi:10.1016/j.cmet.2017.02.009.

Saner NJ, Lee MJ, Kuang J, et al. Exercise mitigates sleep-loss-induced changes in glucose tolerance, mitochondrial function, sarcoplasmic protein synthesis, and diurnal rhythms. *Mol Metab.* 2021;43:101110. doi:10.1016/j.molmet.2020.101110.

Coelho-Júnior HJ, Gonçalves IO, Sampaio RAC, et al. Effects of combined resistance and power training on cognitive function in older women: a randomized controlled trial. *Int J Environ Res Public Health.* 2020;17(10):3435. Published 2020 May 14. doi:10.3390/ijerph17103435.

Wang X, Wang H, Ye Z, et al. The neurocognitive and BDNF changes of multicomponent exercise for community-dwelling older adults with mild cognitive impairment or dementia: a systematic review and meta-analysis. *Aging (Albany NY).* 2020;12(6):4907-4917. doi:10.18632/aging.102918.

Glud M, Christiansen T, Larsen LH, Richelsen B, Bruun JM. Changes in circulating BDNF in relation to sex, diet, and exercise: a 12-week randomized controlled study in overweight and obese participants. *J Obes.* 2019;2019:4537274. Published 2019 Nov 3. doi:10.1155/2019/4537274.

Scientific/Medical Publications

Strategies for Optimizing Mitochondria (continued)

Yu JT, Xu W, Tan CC, et al. Evidence-based prevention of Alzheimer's disease: systematic review and meta-analysis of 243 observational prospective studies and 153 randomised controlled trials. *J Neurol Neurosurg Psychiatry*. 2020;91(11):1201-1209. doi:10.1136/jnnp-2019-321913.

Ngandu T, Lehtisalo J, Solomon A, et al. A 2 year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): a randomised controlled trial. *Lancet*. 2015;385(9984):2255-2263. doi:10.1016/S0140-6736(15)60461-5.

Postuma RB, Iranzo A, Hu M, et al. Risk and predictors of dementia and parkinsonism in idiopathic REM sleep behaviour disorder: a multicentre study. *Brain*. 2019;142(3):744-759. doi:10.1093/brain/awz030.

Galbiati A, Verga L, Giora E, Zucconi M, Ferini-Strambi L. The risk of neurodegeneration in REM sleep behavior disorder: a systematic review and meta-analysis of longitudinal studies. *Sleep Med Rev*. 2019;43:37-46. doi:10.1016/j.smrv.2018.09.008.

Personalizing the Mito Food Plan for Success

Nakajima A, Sasaki T, Itoh K, et al. A soluble fiber diet increases bacteroides fragilis group abundance and immunoglobulin a production in the gut. Schaffner DW, ed. *Appl Environ Microbiol*. 2020;86(13):e00405-20, /aem/86/13/AEM.00405-20.atom. doi:10.1128/AEM.00405-20.

Simpson HL, Campbell BJ. Review article: dietary fibre-microbiota interactions. *Aliment Pharmacol Ther*. 2015;42(2):158-179. doi:10.1111/apt.13248.

Paley EL. Discovery of gut bacteria specific to Alzheimer's associated diseases is a clue to understanding disease etiology: meta-analysis of population-based data on human gut metagenomics and metabolomics. *J Alzheimers Dis*. 2019;72(1):319-355. doi:10.3233/JAD-190873.

Frequently Asked Questions

Salari N, Rasoulpoor S, Hosseinian-Far A, et al. Association between serum paraoxonase 1 activity and its polymorphisms with multiple sclerosis: a systematic review. *Neurol Sci*. 2021;42(2):491-500. doi:10.1007/s10072-020-04842-3.

Chow HH, Garland LL, Hsu CH, et al. Resveratrol modulates drug- and carcinogen-metabolizing enzymes in a healthy volunteer study. *Cancer Prev Res (Phila)*. 2010;3(9):1168-1175. doi:10.1158/1940-6207.CAPR-09-0155.

Jardim FR, Almeida FJS, Luckachaki MD, Oliveira MR. Effects of sulforaphane on brain mitochondria: mechanistic view and future directions. *J Zhejiang Univ Sci B*. 2020;21(4):263-279. doi:10.1631/jzus.B1900614.

Scientific/Medical Publications

Frequently Asked Questions (continued)

Inan-Eroglu E, Ayaz A, Buyuktuncer Z. Formation of advanced glycation endproducts in foods during cooking process and underlying mechanisms: a comprehensive review of experimental studies. *Nutr Res Rev.* 2020;33(1):77-89. doi:10.1017/S0954422419000209.

Stirban A, Kotsi P, Franke K, Strijowski U, Cai W, Götting C, Tschöpe D. Acute macrovascular dysfunction in patients with type 2 diabetes induced by ingestion of advanced glycated b-lactoglobulins. *Diabetes Care.* 2013 May;36(5):1278-82. doi: 10.2337/dc12-1489

Poulsen MW, Hedegaard RV, Andersen JM, et al. Advanced glycation endproducts in food and their effects on health. *Food Chem Toxicol.* 2013;60:10-37. doi:10.1016/j.fct.2013.06.052.

Neves TM, da Cunha DT, de Rosso VV, Domene SMÁ. Effects of seasoning on the formation of heterocyclic amines and polycyclic aromatic hydrocarbons in meats: a meta-analysis. *Compr Rev Food Sci Food Saf.* 2021;20(1):526-541. doi:10.1111/1541-4337.12650.

Fifi A, Axelrod C, Chakraborty P, Saps M. Herbs and spices in the treatment of functional gastrointestinal disorders: a review of clinical trials. *Nutrients.* 2018;10(11):1715. doi:10.3390/nu10111715.

Jiang TA. Health benefits of culinary herbs and spices. *J AOAC Int.* 2019;102(2):395-411. doi:10.5740/jaoacint.18-0418.

Hewlings SJ, Kalman DS. Curcumin: a review of its effects on human health. *Foods.* 2017;6(10):92. Published 2017 Oct 22. doi:10.3390/foods6100092.

Martín MA, Goya L, de Pascual-Teresa S. Effect of cocoa and cocoa products on cognitive performance in young adults. *Nutrients.* 2020;12(12):3691. Published 2020 Nov 30. doi:10.3390/nu12123691.

Gratton G, Weaver SR, Burley CV, et al. Dietary flavanols improve cerebral cortical oxygenation and cognition in healthy adults. *Sci Rep.* 2020;10(1):19409. Published 2020 Nov 24. doi:10.1038/s41598-020-76160-9.

Chamoun E, Liu AS, Duizer LM, et al. Single nucleotide polymorphisms in sweet, fat, umami, salt, bitter and sour taste receptor genes are associated with gustatory function and taste preferences in young adults. *Nutr Res.* 2021;85:40-46. doi:10.1016/j.nutres.2020.12.007.

Qin P, Li Q, Zhao Y, et al. Sugar and artificially sweetened beverages and risk of obesity, type 2 diabetes mellitus, hypertension, and all-cause mortality: a dose-response meta-analysis of prospective cohort studies. *Eur J Epidemiol.* 2020;35(7):655-671. doi:10.1007/s10654-020-00655-y.

Scientific/Medical Publications

Frequently Asked Questions (continued)

Vogrinc D, Goricar K, Dolžan V. Genetic variability in molecular pathways implicated in Alzheimer's disease: a comprehensive review. *Front Aging Neurosci.* 2021;13:646901. Published 2021 Mar 18. doi:10.3389/fnagi.2021.646901.

Pellegrini C, Pirazzini C, Sala C, et al. A meta-analysis of brain DNA methylation across sex, age, and Alzheimer's disease points for accelerated epigenetic aging in neurodegeneration. *Front Aging Neurosci.* 2021;13:639428. Published 2021 Mar 11. doi:10.3389/fnagi.2021.639428.

Haydon PG. Astrocytes and the modulation of sleep. *Curr Opin Neurobiol.* 2017;44:28-33. doi:10.1016/j.conb.2017.02.008.

