
Phytonutrient Spectrum —Bibliography

Scientific/Medical Publications

Why Phytonutrients?

- Kim H, Caulfield LE, Garcia-Larsen V, et al. Plant-based diets are associated with a lower risk of incident cardiovascular disease, cardiovascular disease mortality, and all-cause mortality in a general population of middle-aged adults. *J Am Heart Assoc.* 2019 Aug 20;8(16):e012865. doi: 10.1161/JAHA.119.012865.
- Cooper AJ, Sharp SJ, Lentjes MA, et al. A prospective study of the association between quantity and variety of fruit and vegetable intake and incident type 2 diabetes. *Diabetes Care.* 2012 Jun;35(6):1293-300. doi: 10.2337/dc11-2388.
- Kunzmann AT, Coleman HG, Huang WY, et al. Fruit and vegetable intakes and risk of colorectal cancer and incident and recurrent adenomas in the PLCO cancer screening trial. *Int J Cancer.* 2016 Apr 15;138(8):1851-61. doi: 10.1002/ijc.29922.
- Farvid MS, Chen WY, Rosner BA, et al. Fruit and vegetable consumption and breast cancer incidence: repeated measures over 30 years of follow-up. *Int J Cancer.* 2019 Apr 1;144(7):1496-1510. doi: 10.1002/ijc.31653.
- Yuan C, Fondell E, Bhushan A, et al. Long-term intake of vegetables and fruits and subjective cognitive function in US men. *Neurology.* 2019;92(1):e63-e75. doi:10.1212/WNL.0000000000006684.
- Morris MC, Evans DA, Tangney CC, et al. Associations of vegetable and fruit consumption with age-related cognitive change. *Neurology.* 2006 Oct 24;67(8):1370-6. doi: 10.1212/01.wnl.0000240224.38978.d8.
- Holt EM, Steffen LM, Moran A, et al. Fruit and vegetable consumption and its relation to markers of inflammation and oxidative stress in adolescents. *J Am Diet Assoc.* 2009 Mar;109(3):414-21. doi: 10.1016/j.jada.2008.11.036.
- Kopf JC, Suhr MJ, Clarke J, et al. Role of whole grains versus fruits and vegetables in reducing subclinical inflammation and promoting gastrointestinal health in individuals affected by overweight and obesity: a randomized controlled trial. *Nutr J.* 2018 Jul 30;17(1):72. doi: 10.1186/s12937-018-0381-7.

Scientific/Medical Publications

Red Foods

- Agarwal P, Holland TM, Wang Y, et al. Association of strawberries and anthocyanidin intake with Alzheimer's dementia risk. *Nutrients*. 2019 Dec 14;11(12):3060. doi: 10.3390/nu11123060.
- Devore EE, Kang JH, Breteler MM, Grodstein F. Dietary intakes of berries and flavonoids in relation to cognitive decline. *Ann Neurol*. 2012 Jul;72(1):135-43. doi: 10.1002/ana.23594.
- Schell J, Scofield RH, Barrett JR, et al. Strawberries improve pain and inflammation in obese adults with radiographic evidence of knee osteoarthritis. *Nutrients*. 2017 Aug 28;9(9):949. doi: 10.3390/nu9090949.
- Basu A, Kurien BT, Tran H, et al. Strawberries decrease circulating levels of tumor necrosis factor and lipid peroxides in obese adults with knee osteoarthritis. *Food Funct*. 2018 Dec 13;9(12):6218-6226. doi: 10.1039/c8fo01194j.
- Maki KC, Kaspar KL, Khoo C, et al. Consumption of a cranberry juice beverage lowered the number of clinical urinary tract infection episodes in women with a recent history of urinary tract infection. *Am J Clin Nutr*. 2016 Jun;103(6):1434-42. doi: 10.3945/ajcn.116.130542.
- Maki KC, Nieman KM, Schild AL, et al. The effect of cranberry juice consumption on the recurrence of urinary tract infection: relationship to baseline risk factors. *J Am Coll Nutr*. 2018 Feb;37(2):121-126. doi: 10.1080/07315724.2017.1370398.
- Chen T, Yan F, Qian J, Guo M, et al. Randomized phase II trial of lyophilized strawberries in patients with dysplastic precancerous lesions of the esophagus. *Cancer Prev Res (Phila)*. 2012 Jan;5(1):41-50. doi: 10.1158/1940-6207.CAPR-11-0469.
- Pantuck AJ, Leppert JT, Zomorodian N, et al. Phase II study of pomegranate juice for men with rising prostate-specific antigen following surgery or radiation for prostate cancer. *Clin Cancer Res*. 2006 Jul 1;12(13):4018-26. doi: 10.1158/1078-0432.CCR-05-2290.
- Istas G, Feliciano RP, Weber T, et al. Plasma urolithin metabolites correlate with improvements in endothelial function after red raspberry consumption: a double-blind randomized controlled trial. *Arch Biochem Biophys*. 2018 Aug 1;651:43-51. doi: 10.1016/j.abb.2018.05.016.
- Tsitsimpikou C, Tsarouhas K, Kioukia-Fougia N, et al. Dietary supplementation with tomato-juice in patients with metabolic syndrome: a suggestion to alleviate detrimental clinical factors. *Food Chem Toxicol*. 2014 Dec;74:9-13. doi: 10.1016/j.fct.2014.08.014.

Scientific/Medical Publications

Red Foods (continued)

- Bialasiewicz P, Prymont-Przyminska A, Zwolinska A, et al. Sour cherries but not apples added to the regular diet decrease resting and fMLP-stimulated chemiluminescence of fasting whole blood in healthy subjects. *J Am Coll Nutr*. 2018 Jan;37(1):24-33. doi: 10.1080/07315724.2017.1354739.
- Ammar A, Turki M, Hammouda O, et al. Effects of pomegranate juice supplementation on oxidative stress biomarkers following weightlifting exercise. *Nutrients*. 2017;9(8):819. Published 2017 Jul 29. doi:10.3390/nu9080819.
- Basu A, Fu DX, Wilkinson M, et al. Strawberries decrease atherosclerotic markers in subjects with metabolic syndrome. *Nutr Res*. 2010 Jul;30(7):462-9. doi: 10.1016/j.nutres.2010.06.016.
- Nilsson A, Salo I, Plaza M, Björck I. Effects of a mixed berry beverage on cognitive functions and cardiometabolic risk markers; a randomized cross-over study in healthy older adults. *PLoS One*. 2017 Nov 15;12(11):e0188173. doi: 10.1371/journal.pone.0188173.
- Rowles JL 3rd, Ranard KM, Smith JW, et al. Increased dietary and circulating lycopene are associated with reduced prostate cancer risk: a systematic review and meta-analysis. *Prostate Cancer Prostatic Dis*. 2017 Dec;20(4):361-377. doi: 10.1038/pcan.2017.25.
- Er V, Lane JA, Martin RM, et al. Adherence to dietary and lifestyle recommendations and prostate cancer risk in the prostate testing for cancer and treatment (ProtecT) trial. *Cancer Epidemiol Biomarkers Prev*. 2014;23(10):2066-2077. doi:10.1158/1055-9965.
- Paur I, Lilleby W, Bøhn SK, et al. Tomato-based randomized controlled trial in prostate cancer patients: effect on PSA. *Clin Nutr*. 2017 Jun;36(3):672-679. doi: 10.1016/j.clnu.2016.06.014.
- Valderas-Martinez P, Chiva-Blanch G, Casas R, et al. Tomato sauce enriched with olive oil exerts greater effects on cardiovascular disease risk factors than raw tomato and tomato sauce: a randomized trial. *Nutrients*. 2016 Mar 16;8(3):170. doi: 10.3390/nu8030170.
- van Het Hof KH, West CE, Weststrate JA, Hautvast JG. Dietary factors that affect the bioavailability of carotenoids. *J Nutr*. 2000 Mar;130(3):503-6. doi: 10.1093/jn/130.3.503.

Scientific/Medical Publications

Orange Foods

- Jahns L, Conrad Z, Johnson LK, et al. A diet high in carotenoid-rich vegetables and fruits favorably impacts inflammation status by increasing plasma concentrations of IFN- α 2 and decreasing MIP-1B and TNF- α in healthy individuals during a controlled feeding trial. *Nutr Res*. 2018 Apr;52:98-104. doi: 10.1016/j.nutres.2018.02.005.
- Watzl B, Kulling SE, Möseneder J, Barth SW, Bub A. A 4-wk intervention with high intake of carotenoid-rich vegetables and fruit reduces plasma C-reactive protein in healthy, nonsmoking men. *Am J Clin Nutr*. 2005 Nov;82(5):1052-8. doi: 10.1093/ajcn/82.5.1052.
- Nurk E, Refsum H, Drevon CA, et al. Cognitive performance among the elderly in relation to the intake of plant foods. The Hordaland Health Study. *Br J Nutr*. 2010 Oct;104(8):1190-201. doi: 10.1017/S0007114510001807.
- Saraf-Bank S, Ahmadi A, Paknahad Z, et al. Effects of curcumin supplementation on markers of inflammation and oxidative stress among healthy overweight and obese girl adolescents: a randomized placebo-controlled clinical trial. *Phytother Res*. 2019 Aug;33(8):2015-2022. doi: 10.1002/ptr.6370.
- Amalraj A, Varma K, Jacob J, et al. A novel highly bioavailable curcumin formulation improves symptoms and diagnostic indicators in rheumatoid arthritis patients: a randomized, double-blind, placebo-controlled, two-dose, three-arm, and parallel-group study. *J Med Food*. 2017 Oct;20(10):1022-1030. doi: 10.1089/jmf.2017.3930.
- Ghaffari A, Rafrat M, Navekar R, et al. Turmeric and chicory seed have beneficial effects on obesity markers and lipid profile in non-alcoholic fatty liver disease (NAFLD). *Int J Vitam Nutr Res*. 2019 Nov;89(5-6):293-302. doi: 10.1024/0300-9831/a000568.
- Adab Z, Eghtesadi S, Vafa MR, et al. Effect of turmeric on glycemic status, lipid profile, hs-CRP, and total antioxidant capacity in hyperlipidemic type 2 diabetes mellitus patients. *Phytother Res*. 2019 Apr;33(4):1173-1181. doi: 10.1002/ptr.6312.
- Morand C, Dubray C, Milenkovic D, et al. Hesperidin contributes to the vascular protective effects of orange juice: a randomized crossover study in healthy volunteers. *Am J Clin Nutr*. 2011 Jan;93(1):73-80. doi: 10.3945/ajcn.110.004945.
- Rendeiro C, Dong H, Saunders C, et al. Flavanone-rich citrus beverages counteract the transient decline in postprandial endothelial function in humans: a randomised, controlled, double-masked, cross-over intervention study. *Br J Nutr*. 2016 Dec;116(12):1999-2010. doi: 10.1017/S0007114516004219.

Scientific/Medical Publications

Orange Foods (continued)

- Kean RJ, Lamport DJ, Dodd GF, et al. Chronic consumption of flavanone-rich orange juice is associated with cognitive benefits: an 8-wk, randomized, double-blind, placebo-controlled trial in healthy older adults. *Am J Clin Nutr.* 2015 Mar;101(3):506-14. doi: 10.3945/ajcn.114.088518.
- Alharbi MH, Lamport DJ, Dodd GF, et al. Flavonoid-rich orange juice is associated with acute improvements in cognitive function in healthy middle-aged males. *Eur J Nutr.* 2016;55(6):2021-2029. doi:10.1007/s00394-015-1016-9.
- Butalla AC, Crane TE, Patil B, et al. Effects of a carrot juice intervention on plasma carotenoids, oxidative stress, and inflammation in overweight breast cancer survivors. *Nutr Cancer.* 2012;64(2):331-41. doi: 10.1080/01635581.2012.650779.
- Constans J, Bennetau-Pelissero C, Martin JF, et al. Marked antioxidant effect of orange juice intake and its phytonutrients in a preliminary randomized cross-over trial on mild hypercholesterolemic men. *Clin Nutr.* 2015 Dec;34(6):1093-100. doi: 10.1016/j.clnu.2014.12.016.
- Harris HR, Eke AC, Chavarro JE, Missmer SA. Fruit and vegetable consumption and risk of endometriosis. *Hum Reprod.* 2018 Apr 1;33(4):715-727. doi: 10.1093/humrep/dey014.
- Pearce K, Tremellen K. Influence of nutrition on the decline of ovarian reserve and subsequent onset of natural menopause. *Hum Fertil (Camb).* 2016 Sep;19(3):173-9. doi: 10.1080/14647273.2016.1205759.
- Office of Dietary Supplements - Vitamin A. Ods.od.nih.gov. <https://ods.od.nih.gov/factsheets/VitaminA-HealthProfessional>. Accessed January 4, 2021.
- Tang G. Bioconversion of dietary provitamin A carotenoids to vitamin A in humans. *Am J Clin Nutr.* 2010 May;91(5):1468S-1473S. doi: 10.3945/ajcn.2010.28674G.

Yellow Foods

- Mozaffari-Khosravi H, Naderi Z, Dehghan A, et al. Effect of ginger supplementation on proinflammatory cytokines in older patients with osteoarthritis: outcomes of a randomized controlled clinical trial. *J Nutr Gerontol Geriatr.* 2016 Jul-Sep;35(3):209-18. doi: 10.1080/21551197.2016.1206762.
- Naderi Z, Mozaffari-Khosravi H, Dehghan A, et al. Effect of ginger powder supplementation on nitric oxide and C-reactive protein in elderly knee osteoarthritis patients: a 12-week double-blind randomized placebo-controlled clinical trial. *J Tradit Complement Med.* 2015 Jan 28;6(3):199-203. doi: 10.1016/j.jtcme.2014.12.007.

Scientific/Medical Publications

Yellow Foods (continued)

- Marx W, McCarthy AL, Ried K, et al. The effect of a standardized ginger extract on chemotherapy-induced nausea-related quality of life in patients undergoing moderately or highly emetogenic chemotherapy: a double blind, randomized, placebo controlled trial. *Nutrients*. 2017 Aug 12;9(8):867. doi: 10.3390/nu9080867.
- Emrani Z, Shojaei E, Khalili H. Ginger for prevention of antituberculosis-induced gastrointestinal adverse reactions including hepatotoxicity: a randomized pilot clinical trial. *Phytother Res*. 2016 Jun;30(6):1003-9. doi: 10.1002/ptr.5607.
- Eady SL, Wallace AJ, Butts CA, et al. The effect of 'Zesy002' kiwifruit (*Actinidia chinensis* var. *chinensis*) on gut health function: a randomised cross-over clinical trial. *J Nutr Sci*. 2019;8:e18. Published 2019 May 3. doi:10.1017/jns.2019.14.
- Chang CC, Lin YT, Lu YT, et al. Kiwifruit improves bowel function in patients with irritable bowel syndrome with constipation. *Asia Pac J Clin Nutr*. 2010;19(4):451-7.
- Chey S, Chey J, Jackson K, Eswaran S. Randomized, comparative effectiveness trial of green kiwifruit, psyllium, or prunes in U.S. patients with chronic constipation. *Am J Gastroenterol*. 2020 Oct;115: S229. doi: 10.14309/ajg.0000000000000851.
- Attaluri A, Donahoe R, Valestin J, Brown K, Rao SS. Randomised clinical trial: dried plums (prunes) vs. psyllium for constipation. *Aliment Pharmacol Ther*. 2011 Apr;33(7):822-8. doi: 10.1111/j.1365-2036.2011.04594.x.
- Zemestani M, Rafrat M, Asghari-Jafarabadi M. Chamomile tea improves glycemic indices and antioxidants status in patients with type 2 diabetes mellitus. *Nutrition*. 2016 Jan;32(1):66-72. doi: 10.1016/j.nut.2015.07.011.
- Brevik A, Gaivão I, Medin T, et al. Supplementation of a western diet with golden kiwifruits (*Actinidia chinensis* var. 'Hort 16A') effects on biomarkers of oxidation damage and antioxidant protection. *Nutr J*. 2011 May 18;10:54. doi: 10.1186/1475-2891-10-54.
- Wu J, Cho E, Willett WC, Sastry SM, Schaumberg DA. Intakes of lutein, zeaxanthin, and other carotenoids and age-related macular degeneration during 2 decades of prospective follow-up. *JAMA Ophthalmol*. 2015 Dec;133(12):1415-24. doi: 10.1001/jamaophthalmol.2015.3590.
- Christen WG, Liu S, Glynn RJ, et al. Dietary carotenoids, vitamins C and E, and risk of cataract in women: a prospective study. *Arch Ophthalmol*. 2008 Jan;126(1):102-9. doi: 10.1001/archophth.126.1.102.

Scientific/Medical Publications

Yellow Foods (continued)

- Macready AL, George TW, Chong MF, et al. Flavonoid-rich fruit and vegetables improve microvascular reactivity and inflammatory status in men at risk of cardiovascular disease--FLAVURS: a randomized controlled trial. *Am J Clin Nutr*. 2014 Mar;99(3):479-89. doi: 10.3945/ajcn.113.074237.
- Wilson R, Willis J, Gearry RB, et al. SunGold kiwifruit supplementation of individuals with prediabetes alters gut microbiota and improves vitamin C status, anthropometric and clinical markers. *Nutrients*. 2018 Jul 12;10(7):895. doi: 10.3390/nu10070895.
- Cervo MM, Llido LO, Barrios EB, Panlasigui LN. Effects of canned pineapple consumption on nutritional status, immunomodulation, and physical health of selected school children. *J Nutr Metab*. 2014;2014:861659. doi: 10.1155/2014/861659.
- Hunter DC, Skinner MA, Wolber FM, et al. Consumption of gold kiwifruit reduces severity and duration of selected upper respiratory tract infection symptoms and increases plasma vitamin C concentration in healthy older adults. *Br J Nutr*. 2012 Oct;108(7):1235-45. doi: 10.1017/S0007114511006659.

Green Foods

- Fowke JH, Longcope C, Hebert JR. Brassica vegetable consumption shifts estrogen metabolism in healthy postmenopausal women. *Cancer Epidemiol Biomarkers Prev*. 2000 Aug;9(8):773-9.
- Teas J, Hurley TG, Hebert JR, et al. Dietary seaweed modifies estrogen and phytoestrogen metabolism in healthy postmenopausal women. *J Nutr*. 2009 May;139(5):939-44. doi: 10.3945/jn.108.100834.
- Li Z, Wong A, Henning SM, Zhang Y, et al. Hass avocado modulates postprandial vascular reactivity and postprandial inflammatory responses to a hamburger meal in healthy volunteers. *Food Funct*. 2013 Feb 26;4(3):384-91. doi: 10.1039/c2fo30226h.
- Salas-Salvadó J, Bulló M, Babio N, et al. Reduction in the incidence of type 2 diabetes with the Mediterranean diet: results of the PREDIMED-Reus nutrition intervention randomized trial. *Diabetes Care*. 2011 Jan;34(1):14-9. doi: 10.2337/dc10-1288.
- Assaf-Balut C, García de la Torre N, Durán A, et al. A Mediterranean diet with additional extra virgin olive oil and pistachios reduces the incidence of gestational diabetes mellitus (GDM): a randomized controlled trial: the St. Carlos GDM prevention study. *PLoS One*. 2017 Oct 19;12(10):e0185873. doi: 10.1371/journal.pone.0185873.

Scientific/Medical Publications

Green Foods (continued)

- Guasch-Ferré M, Hu FB, Martínez-González MA, et al. Olive oil intake and risk of cardiovascular disease and mortality in the PREDIMED Study. *BMC Med.* 2014 May 13;12:78. doi: 10.1186/1741-7015-12-78.
- Gomez-Marin B, Gomez-Delgado F, Lopez-Moreno J, et al. Long-term consumption of a Mediterranean diet improves postprandial lipemia in patients with type 2 diabetes: the Cordioprev randomized trial. *Am J Clin Nutr.* 2018 Nov 1;108(5):963-970. doi: 10.1093/ajcn/nqy144.
- Pintó X, Fanlo-Maresma M, Corbella E, et al. A Mediterranean diet rich in extra-virgin olive oil is associated with a reduced prevalence of nonalcoholic fatty liver disease in older individuals at high cardiovascular risk. *J Nutr.* 2019 Nov 1;149(11):1920-1929. doi: 10.1093/jn/nxz147.
- Rezaei S, Akhlaghi M, Sasani MR, Barati Boldaji R. Olive oil lessened fatty liver severity independent of cardiometabolic correction in patients with non-alcoholic fatty liver disease: a randomized clinical trial. *Nutrition.* 2019 Jan;57:154-161. doi: 10.1016/j.nut.2018.02.021.
- Torres-Peña JD, Garcia-Rios A, Delgado-Casado N, et al. Mediterranean diet improves endothelial function in patients with diabetes and prediabetes: a report from the CORDIOPREV study. *Atherosclerosis.* 2018 Feb;269:50-56. doi: 10.1016/j.atherosclerosis.2017.12.012.
- Mayra ST, Johnston CS, Sweazea KL. High-nitrate salad increased plasma nitrates/nitrites and brachial artery flow-mediated dilation in postmenopausal women: a pilot study. *Nutr Res.* 2019 May;65:99-104. doi: 10.1016/j.nutres.2019.02.001.
- Morris MC, Wang Y, Barnes LL, et al. Nutrients and bioactives in green leafy vegetables and cognitive decline: prospective study. *Neurology.* 2018 Jan 16;90(3):e214-e222. doi: 10.1212/WNL.0000000000004815.
- López-Chillón MT, Carazo-Díaz C, Prieto-Merino D, et al. Effects of long-term consumption of broccoli sprouts on inflammatory markers in overweight subjects. *Clin Nutr.* 2019 Apr;38(2):745-752. doi: 10.1016/j.clnu.2018.03.006.
- Graziani F, Discepoli N, Gennai S, et al. The effect of twice daily kiwifruit consumption on periodontal and systemic conditions before and after treatment: a randomized clinical trial. *J Periodontol.* 2018 Mar;89(3):285-293. doi: 10.1002/JPER.17-0148.
- Liu AH, Bondonno CP, Croft KD, et al. Effects of a nitrate-rich meal on arterial stiffness and blood pressure in healthy volunteers. *Nitric Oxide.* 2013 Nov 30;35:123-30. doi: 10.1016/j.niox.2013.10.001.

Scientific/Medical Publications

Green Foods (continued)

- Bondonno CP, Yang X, Croft KD, et al. Flavonoid-rich apples and nitrate-rich spinach augment nitric oxide status and improve endothelial function in healthy men and women: a randomized controlled trial. *Free Radic Biol Med*. 2012 Jan 1;52(1):95-102. doi: 10.1016/j.freeradbiomed.2011.09.028.
- Blekkenhorst LC, Hodgson JM, Lewis JR, et al. Vegetable and fruit intake and fracture-related hospitalisations: a prospective study of older women. *Nutrients*. 2017 May 18;9(5):511. doi: 10.3390/nu9050511.
- Sim M, Lewis JR, Prince RL, et al. The effects of vitamin K-rich green leafy vegetables on bone metabolism: a 4-week randomised controlled trial in middle-aged and older individuals. *Bone Rep*. 2020 Apr 26;12:100274. doi: 10.1016/j.bonr.2020.100274.
- Kang JH, Ascherio A, Grodstein F. Fruit and vegetable consumption and cognitive decline in aging women. *Ann Neurol*. 2005 May;57(5):713-20. doi: 10.1002/ana.20476.
- Wang L, Tao L, Hao L, et al. A moderate-fat diet with one avocado per day increases plasma antioxidants and decreases the oxidation of small, dense LDL in adults with overweight and obesity: a randomized controlled trial. *J Nutr*. 2020 Feb 1;150(2):276-284. doi: 10.1093/jn/nxz231.
- Panza VS, Wazlawik E, Ricardo Schütz G, et al. Consumption of green tea favorably affects oxidative stress markers in weight-trained men. *Nutrition*. 2008 May;24(5):433-42. doi: 10.1016/j.nut.2008.01.009.
- Nijhoff WA, Grubben MJ, Nagengast FM, et al. Effects of consumption of Brussels sprouts on intestinal and lymphocytic glutathione S-transferases in humans. *Carcinogenesis*. 1995 Sep;16(9):2125-8. doi: 10.1093/carcin/16.9.2125.
- Chen JG, Johnson J, Egner P, et al. Dose-dependent detoxication of the airborne pollutant benzene in a randomized trial of broccoli sprout beverage in Qidong, China. *Am J Clin Nutr*. 2019 Sep 1;110(3):675-684. doi: 10.1093/ajcn/nqz122.
- Zhang NQ, Ho SC, Mo XF, et al. Glucosinolate and isothiocyanate intakes are inversely associated with breast cancer risk: a case-control study in China. *Br J Nutr*. 2018 Apr;119(8):957-964. doi: 10.1017/S0007114518000600.
- Lam TK, Ruczinski I, Helzlsouer KJ, et al. Cruciferous vegetable intake and lung cancer risk: a nested case-control study matched on cigarette smoking. *Cancer Epidemiol Biomarkers Prev*. 2010;19(10):2534-2540. doi:10.1158/1055-9965.EPI-10-0475.
- Hsu CC, Chow WH, Boffetta P, et al. Dietary risk factors for kidney cancer in Eastern and Central Europe. *Am J Epidemiol*. 2007 Jul 1;166(1):62-70. doi: 10.1093/aje/kwm043.

Scientific/Medical Publications

Green Foods (continued)

- Farvid MS, Chen WY, Rosner BA, et al. Fruit and vegetable consumption and breast cancer incidence: repeated measures over 30 years of follow-up. *Int J Cancer*. 2019 Apr 1;144(7):1496-1510. doi: 10.1002/ijc.31653.
- Rouzaud G, Young SA, Duncan AJ. Hydrolysis of glucosinolates to isothiocyanates after ingestion of raw or microwaved cabbage by human volunteers. *Cancer Epidemiol Biomarkers Prev*. 2004 Jan;13(1):125-31. doi: 10.1158/1055-9965.epi-085-3.
- Wang Z, Kwan ML, Pratt R, et al. Effects of cooking methods on total isothiocyanate yield from cruciferous vegetables. *Food Sci Nutr*. 2020 Sep 9;8(10):5673-5682. doi: 10.1002/fsn3.1836.

Blue/Purple/Black Foods

- Whyte AR, Cheng N, Butler LT, et al. Flavonoid-rich mixed berries maintain and improve cognitive function over a 6 h period in young healthy adults. *Nutrients*. 2019 Nov 6;11(11):2685. doi: 10.3390/nu11112685.
- Krikorian R, Shidler MD, Nash TA, et al. Blueberry supplementation improves memory in older adults. *J Agric Food Chem*. 2010 Apr 14;58(7):3996-4000. doi: 10.1021/jf9029332.
- Devore EE, Kang JH, Breteler MM, Grodstein F. Dietary intakes of berries and flavonoids in relation to cognitive decline. *Ann Neurol*. 2012 Jul;72(1):135-43. doi: 10.1002/ana.23594.
- Khan F, Ray S, Craigie AM, et al. Lowering of oxidative stress improves endothelial function in healthy subjects with habitually low intake of fruit and vegetables: a randomized controlled trial of antioxidant- and polyphenol-rich blackcurrant juice. *Free Radic Biol Med*. 2014 Jul;72:232-7. doi: 10.1016/j.freeradbiomed.2014.04.006.
- Blacker BC, Snyder SM, Eggett DL, Parker TL. Consumption of blueberries with a high-carbohydrate, low-fat breakfast decreases postprandial serum markers of oxidation. *Br J Nutr*. 2013 May;109(9):1670-7. doi: 10.1017/S0007114512003650.
- Kay CD, Holub BJ. The effect of wild blueberry (*Vaccinium angustifolium*) consumption on postprandial serum antioxidant status in human subjects. *Br J Nutr*. 2002 Oct;88(4):389-98. doi: 10.1079/BJN2002665.
- Nilsson A, Salo I, Plaza M, Björck I. Effects of a mixed berry beverage on cognitive functions and cardiometabolic risk markers; a randomized cross-over study in healthy older adults. *PLoS One*. 2017 Nov 15;12(11):e0188173. doi: 10.1371/journal.pone.0188173.

Scientific/Medical Publications

Blue/Purple/Black Foods (continued)

- Castro-Acosta ML, Smith L, Miller RJ, et al. Drinks containing anthocyanin-rich blackcurrant extract decrease postprandial blood glucose, insulin and incretin concentrations. *J Nutr Biochem*. 2016 Dec;38:154-161. doi: 10.1016/j.jnutbio.2016.09.002.
- Curtis PJ, van der Velpen V, Berends L, et al. Blueberries improve biomarkers of cardiometabolic function in participants with metabolic syndrome-results from a 6-month, double-blind, randomized controlled trial. *Am J Clin Nutr*. 2019 Jun 1;109(6):1535-1545. doi: 10.1093/ajcn/nqy380.
- Lever E, Scott SM, Louis P, Emery PW, Whelan K. The effect of prunes on stool output, gut transit time and gastrointestinal microbiota: a randomised controlled trial. *Clin Nutr*. 2019 Feb;38(1):165-173. doi: 10.1016/j.clnu.2018.01.003.
- Hooshmand S, Chai SC, Saadat RL, et al. Comparative effects of dried plum and dried apple on bone in postmenopausal women. *Br J Nutr*. 2011 Sep;106(6):923-30. doi: 10.1017/S000711451100119X.
- Hooshmand S, Kern M, Metti D, et al. The effect of two doses of dried plum on bone density and bone biomarkers in osteopenic postmenopausal women: a randomized, controlled trial. *Osteoporos Int*. 2016 Jul;27(7):2271-2279. doi: 10.1007/s00198-016-3524-8.
- Lampert DJ, Lawton CL, Merat N, et al. Concord grape juice, cognitive function, and driving performance: a 12-wk, placebo-controlled, randomized crossover trial in mothers of preteen children. *Am J Clin Nutr*. 2016 Mar;103(3):775-83. doi: 10.3945/ajcn.115.114553.
- Haskell-Ramsay CF, Stuart RC, et al. Cognitive and mood improvements following acute supplementation with purple grape juice in healthy young adults. *Eur J Nutr*. 2017 Dec;56(8):2621-2631. doi: 10.1007/s00394-017-1454-7.
- Krikorian R, Nash TA, Shidler MD, et al. Concord grape juice supplementation improves memory function in older adults with mild cognitive impairment. *Br J Nutr*. 2010 Mar;103(5):730-4. doi: 10.1017/S0007114509992364.
- Leja M, Kaminska I, Kramer M, et al. The content of phenolic compounds and radical scavenging activity varies with carrot origin and root color. *Plant Foods Hum Nutr*. 2013;68(2):163-170. doi:10.1007/s11130-013-0351-3.
- Oki T, Kano M, Ishikawa F, et al. Double-blind, placebo-controlled pilot trial of anthocyanin-rich purple sweet potato beverage on serum hepatic biomarker levels in healthy Caucasians with borderline hepatitis. *Eur J Clin Nutr*. 2017 Feb;71(2):290-292. doi: 10.1038/ejcn.2016.153.

Scientific/Medical Publications

Blue/Purple/Black Foods (continued)

- Suda I, Ishikawa F, Hatakeyama M, et al. Intake of purple sweet potato beverage affects on serum hepatic biomarker levels of healthy adult men with borderline hepatitis. *Eur J Clin Nutr.* 2008 Jan;62(1):60-7. doi: 10.1038/sj.ejcn.1602674.
- Callcott ET, Blanchard CL, Snell P, Santhakumar AB. The anti-inflammatory and antioxidant effects of pigmented rice consumption in an obese cohort. *Food Funct.* 2019 Dec 11;10(12):8016-8025. doi: 10.1039/c9fo02261a.
- Cassidy A, Mukamal KJ, Liu L, et al. High anthocyanin intake is associated with a reduced risk of myocardial infarction in young and middle-aged women. *Circulation.* 2013 Jan 15;127(2):188-96. doi: 10.1161/CIRCULATIONAHA.112.122408.
- Jennings A, Welch AA, Fairweather-Tait SJ, et al Higher anthocyanin intake is associated with lower arterial stiffness and central blood pressure in women. *Am J Clin Nutr.* 2012 Oct;96(4):781-8. doi: 10.3945/ajcn.112.042036.
- Nilsson A, Salo I, Plaza M, Björck I. Effects of a mixed berry beverage on cognitive functions and cardiometabolic risk markers; a randomized cross-over study in healthy older adults. *PLoS One.* 2017 Nov 15;12(11):e0188173. doi: 10.1371/journal.pone.0188173.
- Whyte AR, Cheng N, Butler LT, et al. Flavonoid-rich mixed berries maintain and improve cognitive function over a 6 h period in young healthy adults. *Nutrients.* 2019 Nov 6;11(11):2685. doi: 10.3390/nu11112685.
- Devore EE, Kang JH, Breteler MM, Grodstein F. Dietary intakes of berries and flavonoids in relation to cognitive decline. *Ann Neurol.* 2012 Jul;72(1):135-43. doi: 10.1002/ana.23594.
- Du C, Smith A, Avalos M, et al. Blueberries improve pain, gait performance, and inflammation in individuals with symptomatic knee osteoarthritis. *Nutrients.* 2019;11(2):290. Published 2019 Jan 29. doi:10.3390/nu11020290

White/Tan/Brown Foods

- Choudhary PR, Jani RD, Sharma MS. Effect of raw crushed garlic (*Allium sativum* L.) on components of metabolic syndrome. *J Diet Suppl.* 2018 Jul 4;15(4):499-506. doi: 10.1080/19390211.2017.1358233.
- Mahdavi-Roshan M, Mirmiran P, Arjmand M, Nasrollahzadeh J. Effects of garlic on brachial endothelial function and capacity of plasma to mediate cholesterol efflux in patients with coronary artery disease. *Anatol J Cardiol.* 2017 Aug;18(2):116-121. doi: 10.14744/AnatolJCardiol.2017.7669.
- Liu X, Baecker A, Wu M, et al. Raw garlic consumption and risk of liver cancer: a population-based case-control study in eastern China. *Nutrients.* 2019 Aug 31;11(9):2038. doi: 10.3390/nu11092038.

Scientific/Medical Publications

White/Tan/Brown Foods (continued)

- Galeone C, Pelucchi C, Levi F, et al. Onion and garlic use and human cancer. *Am J Clin Nutr.* 2006 Nov;84(5):1027-32. doi: 10.1093/ajcn/84.5.1027.
- Chen YK, Lee CH, Wu IC, et al. Food intake and the occurrence of squamous cell carcinoma in different sections of the esophagus in Taiwanese men. *Nutrition.* 2009 Jul-Aug;25(7-8):753-61. doi: 10.1016/j.nut.2009.02.002.
- Carlson JL, Erickson JM, Lloyd BB, Slavin JL. Health effects and sources of prebiotic dietary fiber. *Curr Dev Nutr.* 2018;2(3):nzy005. Published 2018 Jan 29. doi:10.1093/cdn/nzy005.
- Hiel S, Bindels LB, Pachikian BD, et al. Effects of a diet based on inulin-rich vegetables on gut health and nutritional behavior in healthy humans. *Am J Clin Nutr.* 2019 Jun 1;109(6):1683-1695. doi: 10.1093/ajcn/nqz001.
- Dai X, Stanilka JM, Rowe CA, et al. Consuming Lentinula edodes (Shiitake) mushrooms daily improves human immunity: a randomized dietary intervention in healthy young adults. *J Am Coll Nutr.* 2015;34(6):478-87. doi: 10.1080/07315724.2014.950391.
- Jeong SC, Koyyalamudi SR, Pang G. Dietary intake of Agaricus bisporus white button mushroom accelerates salivary immunoglobulin A secretion in healthy volunteers. *Nutrition.* 2012 May;28(5):527-31. doi: 10.1016/j.nut.2011.08.005.
- McKay DL, Eliasziw M, Chen CYO, Blumberg JB. A pecan-rich diet improves cardiometabolic risk factors in overweight and obese adults: a randomized controlled trial. *Nutrients.* 2018 Mar 11;10(3):339. doi: 10.3390/nu10030339.
- Jung H, Chen CO, Blumberg JB, Kwak HK. The effect of almonds on vitamin E status and cardiovascular risk factors in Korean adults: a randomized clinical trial. *Eur J Nutr.* 2018 Sep;57(6):2069-2079. doi: 10.1007/s00394-017-1480-5.
- Haskell-Ramsay CF, Jackson PA, Forster JS, et al. The acute effects of caffeinated black coffee on cognition and mood in healthy young and older adults. *Nutrients.* 2018;10(10):1386. Published 2018 Sep 30. doi:10.3390/nu10101386.
- Kahathuduwa CN, Dassanayake TL, Amarakoon AMT, Weerasinghe VS. Acute effects of theanine, caffeine and theanine-caffeine combination on attention. *Nutr Neurosci.* 2017 Jul;20(6):369-377. doi: 10.1080/1028415X.2016.1144845.
- Higashi Y. Coffee and endothelial function: a coffee paradox? *Nutrients.* 2019 Sep 4;11(9):2104. doi: 10.3390/nu11092104.
- Patel YR, Gadiraju TV, Ellison RC, et al. Coffee consumption and calcified atherosclerotic plaques in the coronary arteries: the NHLBI Family Heart Study. *Clin Nutr ESPEN.* 2017 Feb;17:18-21. doi: 10.1016/j.clnesp.2016.12.003.

Scientific/Medical Publications

White/Tan/Brown Foods (continued)

- Vlachopoulos C, Panagiotakos D, Ioakeimidis N, et al. Chronic coffee consumption has a detrimental effect on aortic stiffness and wave reflections. *Am J Clin Nutr.* 2005 Jun;81(6):1307-12. doi: 10.1093/ajcn/81.6.1307.
- Ioakeimidis N, Tzifos V, Vlachopoulos C, et al. Acute effect of coffee on aortic stiffness and wave reflections in healthy individuals: differential effect according to habitual consumption. *Int J Food Sci Nutr.* 2018 Nov;69(7):870-881. doi: 10.1080/09637486.2017.1422700.
- Boon EAJ, Croft KD, Shinde S, et al. The acute effect of coffee on endothelial function and glucose metabolism following a glucose load in healthy human volunteers. *Food Funct.* 2017 Sep 20;8(9):3366-3373. doi: 10.1039/c7fo00926g.
- Bhupathiraju SN, Pan A, Manson JE, et al. Changes in coffee intake and subsequent risk of type 2 diabetes: three large cohorts of US men and women. *Diabetologia.* 2014 Jul;57(7):1346-54. doi: 10.1007/s00125-014-3235-7.
- Sansone R, Rodriguez-Mateos A, Heuel J, et al. Cocoa flavanol intake improves endothelial function and Framingham Risk Score in healthy men and women: a randomised, controlled, double-masked trial: the Flaviola Health Study. *Br J Nutr.* 2015 Oct 28;114(8):1246-55. doi: 10.1017/S0007114515002822.
- Sarriá B, Martínez-López S, Sierra-Cinos JL, et al. Effects of bioactive constituents in functional cocoa products on cardiovascular health in humans. *Food Chem.* 2015 May 1;174:214-8. doi: 10.1016/foodchem.2014.11.004.
- Martínez-López S, Sarriá B, Sierra-Cinos JL, et al. Realistic intake of a flavanol-rich soluble cocoa product increases HDL-cholesterol without inducing anthropometric changes in healthy and moderately hypercholesterolemic subjects. *Food Funct.* 2014 Feb;5(2):364-74. doi: 10.1039/c3fo60352k.
- Blekkenhorst LC, Hodgson JM, Lewis JR, et al. Vegetable and fruit intake and fracture-related hospitalisations: a prospective study of older women. *Nutrients.* 2017 May 18;9(5):511. doi: 10.3390/nu9050511.
- Matheson EM, Mainous AG 3rd, Carnemolla MA. The association between onion consumption and bone density in perimenopausal and postmenopausal non-Hispanic white women 50 years and older. *Menopause.* 2009 Jul-Aug;16(4):756-9. doi: 10.1097/gme.0b013e31819581a5.
- Haddad EH, Gaban-Chong N, Oda K, Sabaté J. Effect of a walnut meal on postprandial oxidative stress and antioxidants in healthy individuals. *Nutr J.* 2014 Jan 10;13:4. doi: 10.1186/1475-2891-13-4.
- Hudthagosol C, Haddad EH, McCarthy K, et al. Pecans acutely increase plasma postprandial antioxidant capacity and catechins and decrease LDL oxidation in humans. *J Nutr.* 2011 Jan;141(1):56-62. doi: 10.3945/jn.110.121269.

Scientific/Medical Publications

White/Tan/Brown Foods (continued)

- Ramnani P, Gaudier E, Bingham M, et al. Prebiotic effect of fruit and vegetable shots containing Jerusalem artichoke inulin: a human intervention study. *Br J Nutr*. 2010 Jul;104(2):233-40. doi: 10.1017/S000711451000036X.
- Jafarpour-Sadegh F, Montazeri V, Adili A, et al. Consumption of fresh yellow onion ameliorates hyperglycemia and insulin resistance in breast cancer patients during doxorubicin-based chemotherapy: a randomized controlled clinical trial. *Integr Cancer Ther*. 2017 Sep;16(3):276-289. doi: 10.1177/1534735416656915.
- Rodríguez-García C, Sánchez-Quesada C, Toledo E, et al. Naturally lignan-rich foods: a dietary tool for health promotion? *Molecules*. 2019;24(5):917. doi:10.3390/molecules24050917.
- Morshedzadeh N, Shahrokh S, Aghdaei HA, et al. Effects of flaxseed and flaxseed oil supplement on serum levels of inflammatory markers, metabolic parameters and severity of disease in patients with ulcerative colitis. *Complement Ther Med*. 2019 Oct;46:36-43. doi: 10.1016/j.ctim.2019.07.012.
- Soltanian N, Janghorbani M. A randomized trial of the effects of flaxseed to manage constipation, weight, glycemia, and lipids in constipated patients with type 2 diabetes. *Nutr Metab (Lond)*. 2018 May 9;15:36. doi: 10.1186/s12986-018-0273-z.

Frequently Asked Questions

- Kunzmann AT, Coleman HG, Huang WY, et al. Fruit and vegetable intakes and risk of colorectal cancer and incident and recurrent adenomas in the PLCO cancer screening trial. *Int J Cancer*. 2016 Apr 15;138(8):1851-61. doi: 10.1002/ijc.29922.
- Farvid MS, Chen WY, Rosner BA, et al. Fruit and vegetable consumption and breast cancer incidence: repeated measures over 30 years of follow-up. *Int J Cancer*. 2019 Apr 1;144(7):1496-1510. doi: 10.1002/ijc.31653.
- Kim H, Caulfield LE, Garcia-Larsen V, Steffen LM, et al. Plant-based diets are associated with a lower risk of incident cardiovascular disease, cardiovascular disease mortality, and all-cause mortality in a general population of middle-aged adults. *J Am Heart Assoc*. 2019 Aug 20;8(16):e012865. doi: 10.1161/JAHA.119.012865.
- Mo X, Gai RT, Sawada K, Takahashi Y, et al. Coronary heart disease and stroke disease burden attributable to fruit and vegetable intake in Japan: projected DALYS to 2060. *BMC Public Health*. 2019 Jun 7;19(1):707. doi: 10.1186/s12889-019-7047-z.

Scientific/Medical Publications

Frequently Asked Questions (continued)

- Wang PY, Fang JC, Gao ZH, Zhang C, Xie SY. Higher intake of fruits, vegetables or their fiber reduces the risk of type 2 diabetes: a meta-analysis. *J Diabetes Investig.* 2016;7(1):56-69. doi:10.1111/jdi.12376.
- Cooper AJ, Sharp SJ, Lentjes MA, et al. A prospective study of the association between quantity and variety of fruit and vegetable intake and incident type 2 diabetes. *Diabetes Care.* 2012 Jun;35(6):1293-300. doi: 10.2337/dc11-2388.
- Cao L, Tan L, Wang HF, et al. Dietary patterns and risk of dementia: a systematic review and meta-analysis of cohort studies. *Mol Neurobiol.* 2016 Nov;53(9):6144-6154. doi: 10.1007/s12035-015-9516-4.
- Hughes TF, Andel R, Small BJ, et al. Midlife fruit and vegetable consumption and risk of dementia in later life in Swedish twins. *Am J Geriatr Psychiatry.* 2010;18(5):413-420. doi:10.1097/JGP.0b013e3181c65250.
- Zhai H, Wang Y, Jiang W. Fruit and vegetable intake and the risk of chronic obstructive pulmonary disease: a dose-response meta-analysis of observational studies. *Biomed Res Int.* 2020 Feb 21;2020:3783481. doi: 10.1155/2020/3783481.
- Angelino D, Godos J, Ghelfi F, et al. Fruit and vegetable consumption and health outcomes: an umbrella review of observational studies. *Int J Food Sci Nutr.* 2019 Sep;70(6):652-667. doi: 10.1080/09637486.2019.1571021.
- Lee ATC, Richards M, Chan WC, et al. Lower risk of incident dementia among Chinese older adults having three servings of vegetables and two servings of fruits a day. *Age Ageing.* 2017 Sep 1;46(5):773-779. doi: 10.1093/ageing/afx018.
- Gibson A, Edgar JD, Neville CE, et al. Effect of fruit and vegetable consumption on immune function in older people: a randomized controlled trial. *Am J Clin Nutr.* 2012 Dec;96(6):1429-36. doi: 10.3945/ajcn.112.039057.
- Conner TS, Brookie KL, Carr AC, et al. Let them eat fruit! The effect of fruit and vegetable consumption on psychological well-being in young adults: a randomized controlled trial. *PLoS One.* 2017 Feb 3;12(2):e0171206. doi: 10.1371/journal.pone.0171206.
- Lohachoompol V, Szrednicki G, Craske J. The change of total anthocyanins in blueberries and their antioxidant effect after drying and freezing. *J Biomed Biotechnol.* 2004;2004(5):248-252. doi: 10.1155/S1110724304406123.
- Saha S, Hollands W, Teucher B, et al. Isothiocyanate concentrations and interconversion of sulforaphane to erucin in human subjects after consumption of commercial frozen broccoli compared to fresh broccoli. *Mol Nutr Food Res.* 2012 Dec;56(12):1906-16. doi: 10.1002/mnfr.201200225.

Scientific/Medical Publications

Frequently Asked Questions (continued)

- Aune D, Giovannucci E, Boffetta P, et al. Fruit and vegetable intake and the risk of cardiovascular disease, total cancer and all-cause mortality-a systematic review and dose-response meta-analysis of prospective studies. *Int J Epidemiol*. 2017 Jun 1;46(3):1029-1056. doi: 10.1093/ije/dyw319.
- Yashin A, Yashin Y, Xia X, Nemzer B. Antioxidant activity of spices and their impact on human health: a review. *Antioxidants (Basel)*. 2017;6(3):70. Published 2017 Sep 15. doi:10.3390/antiox6030070.
- Oh ES, Petersen KS, Kris-Etherton PM, Rogers CJ. Spices in a high-saturated-fat, high-carbohydrate meal reduce postprandial proinflammatory cytokine secretion in men with overweight or obesity: a 3-period, crossover, randomized controlled trial. *J Nutr*. 2020 Jun 1;150(6):1600-1609. doi: 10.1093/jn/nxaa063.
- Allen RW, Schwartzman E, Baker WL, et al. Cinnamon use in type 2 diabetes: an updated systematic review and meta-analysis. *Ann Fam Med*. 2013 Sep-Oct;11(5):452-9. doi: 10.1370/afm.1517.
- Nursal B, Yücecan S. Vitamin C losses in some frozen vegetables due to various cooking methods. *Nahrung*. 2000 Dec;44(6):451-3. doi: 10.1002/1521-3803(20001201)44:6<451::AID-FOOD451>3.0.CO;2-5.
- Severi S, Bedogni G, Manzieri AM, et al. Effects of cooking and storage methods on the micronutrient content of foods. *Eur J Cancer Prev*. 1997 Mar;6 Suppl 1:S21-4. doi: 10.1097/00008469-199703001-00005.
- Landers TF, Cohen B, Wittum TE, Larson EL. A review of antibiotic use in food animals: perspective, policy, and potential. *Public Health Rep*. 2012;127(1):4-22. doi:10.1177/003335491212700103.
- Study links childhood cancer and in-home pesticide use. EWG. <https://www.ewg.org/release/study-links-childhood-cancer-and-home-pesticide-use>. Published 2015. Accessed January 5, 2021.
- Chen M, Chang CH, Tao L, Lu C. Residential exposure to pesticide during childhood and childhood cancers: a meta-analysis. *Pediatrics*. 2015 Oct;136(4):719-29. doi: 10.1542/peds.2015-0006.

